



PRECISION RANGE COOKER COLLECTION TECHNICAL SPECIFICATION

PRECISION RANGE COOKER COLLECTION TECHNICAL SPECIFICATION

Product name	Precision Deluxe S900DF	Precision Deluxe S900DF GTG	Precision Deluxe S900EI	Precision Deluxe S900G	Precision Deluxe S1000DF	Precision Deluxe S1000DF GTG	Precision Deluxe S1000EI	Precision Deluxe S1000G	Precision Deluxe S1100DF	Precision Deluxe S1100DF GTG	Precision Deluxe S1100EI	Precision Deluxe S1100G
<b>Cavity 3</b>	Right position Second oven Electric tall split fanned oven/grill 5 functions: Fixed rate electric grill Fanned electric oven Slow cook Keep warm/plate warm function Dough proving Umбра Glass A energy rating 94 actual / 79 litre usable capacity Usable cavity dimensions: 620mmH x 350mmW x 395mmD Power: 3.0Kwh Consumption: 0.94Kwh (Forced air) 3 shelves, 8 shelf positions 8 telescopic shelf positions Usable area of shelves: 339mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing Window	Right position Second oven Electric tall split fanned oven/grill 5 functions: Fixed rate electric grill Fanned electric oven Slow cook Keep warm/plate warm function Dough proving Umбра Glass A energy rating 94 actual / 79 litre usable capacity Usable cavity dimensions: 620mmH x 350mmW x 395mmD Power: 3.0Kwh Consumption: 0.94Kwh (Forced air) 3 shelves, 8 shelf positions 8 telescopic shelf positions Usable area of shelves: 339mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing Window	Right position Second oven Electric tall split fanned oven/grill 5 functions: Fixed rate electric grill Fanned electric oven Slow cook Keep warm/plate warm function Dough proving Umбра Glass A energy rating 94 actual / 79 litre usable capacity Usable cavity dimensions: 620mmH x 350mmW x 395mmD Power: 3.0Kwh Consumption: 0.94Kwh (Forced air) 3 shelves, 8 shelf positions 8 telescopic shelf positions Usable area of shelves: 339mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing Window	Right position Second oven Electric tall split fanned oven/grill 5 functions: Fixed rate electric grill Fanned electric oven Slow cook Keep warm/plate warm function Dough proving Umбра Glass A energy rating 94 actual / 79 litre usable capacity Usable cavity dimensions: 620mmH x 350mmW x 395mmD Power: 3.0Kwh Consumption: 0.94Kwh (Forced air) 3 shelves, 8 shelf positions 8 telescopic shelf positions Usable area of shelves: 339mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing Window	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving Umбра Glass A energy rating 64 actual / 57 litre usable capacity Usable cavity dimensions: 350mmH x 420mmW x 395mmD Power: 2.0Kwh Consumption: 0.66Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing Window	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving Umбра Glass A energy rating 64 actual / 57 litre usable capacity Usable cavity dimensions: 350mmH x 420mmW x 395mmD Power: 2.0Kwh Consumption: 0.66Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing Window	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving Umбра Glass A energy rating 64 actual / 57 litre usable capacity Usable cavity dimensions: 350mmH x 420mmW x 395mmD Power: 2.0Kwh Consumption: 0.66Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing Window	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving Umбра Glass A energy rating 64 actual / 57 litre usable capacity Usable cavity dimensions: 350mmH x 420mmW x 395mmD Power: 2.0Kwh Consumption: 0.66Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing Window	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving Umбра Glass A energy rating 71 actual / 64 litre usable capacity Usable cavity dimensions: 350mmH x 470mmW x 395mmD Power: 2.0Kwh Consumption: 0.75Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing Window	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving Umбра Glass A energy rating 71 actual / 64 litre usable capacity Usable cavity dimensions: 350mmH x 470mmW x 395mmD Power: 2.0Kwh Consumption: 0.75Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing Window	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving Umбра Glass A energy rating 71 actual / 64 litre usable capacity Usable cavity dimensions: 350mmH x 470mmW x 395mmD Power: 2.0Kwh Consumption: 0.75Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing Window	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving Umбра Glass A energy rating 71 actual / 64 litre usable capacity Usable cavity dimensions: 350mmH x 470mmW x 395mmD Power: 2.0Kwh Consumption: 0.75Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing Window
<b>Cavity 4</b>					Bottom right position Fourth oven Electric slow cooker Slow cook function 37 actual / 37 litre usable capacity Usable cavity dimensions: 200mmH x 420mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 37 actual / 37 litre usable capacity Usable cavity dimensions: 200mmH x 420mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 37 actual / 37 litre usable capacity Usable cavity dimensions: 200mmH x 420mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 37 actual / 37 litre usable capacity Usable cavity dimensions: 200mmH x 420mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 41 actual / 41 litre usable capacity Usable cavity dimensions: 200mmH x 470mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 41 actual / 41 litre usable capacity Usable cavity dimensions: 200mmH x 470mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 41 actual / 41 litre usable capacity Usable cavity dimensions: 200mmH x 470mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 41 actual / 41 litre usable capacity Usable cavity dimensions: 200mmH x 470mmW x 430mmD Power: 0.16Kwh Drop-down door
<b>Fascia cooling system</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Zeus Bluetooth Connected Timer</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Proflex Splitter</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Adjustable feet</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Rear wheels</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Removable cast griddle plate</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Wok cradle</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Steam &amp; Infuse</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Full width oven pan - deep</b>	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2
<b>Full width oven pan - reversible trivet</b>	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2
<b>Oven/grill pan handle</b>	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 1	Yes, 1	Yes, 1	Yes, 1	Yes, 1	Yes, 1	Yes, 1	Yes, 1
<b>LPG conversion kit (available separately)</b>	Yes	Yes	No	No	Yes	Yes	No	No	Yes	Yes	No	No
<b>Removable parts (for cleaning)</b>	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides
<b>Gas type</b>	Nat Gas	Nat Gas	Nat Gas	Nat Gas	Nat Gas	Nat Gas	Nat Gas	Nat Gas	Nat Gas	Nat Gas	Nat Gas	Nat Gas
<b>Gas inlet type</b>	1/2" BSP female	1/2" BSP female	1/2" BSP female	1/2" BSP female	1/2" BSP female	1/2" BSP female	1/2" BSP female	1/2" BSP female	1/2" BSP female	1/2" BSP female	1/2" BSP female	1/2" BSP female
<b>Gas inlet position</b>	Rear Right	Rear Right	Rear Right	Rear Right	Rear Right	Rear Right	Rear Right	Rear Right	Rear Right	Rear Right	Rear Right	Rear Right
<b>LPG convertible</b>	Yes	Yes	No	No	Yes	Yes	No	No	Yes	Yes	No	No
<b>Hard wired</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Electrical connection</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Supply voltage</b>	240V	240V	240V	240V	240V	240V	240V	240V	240V	240V	240V	240V
<b>Total electrical power load</b>	8.98kW	16.38kW	8.98kW	3.13kW	8.13kW	15.53kW	8.13kW	2.98kW	8.13kW	15.53kW	8.13kW	2.98kW
<b>Total gas power load</b>	12kW	13kW	13kW	16.9kW	15kW	18kW	18kW	21.7kW	15kW	18kW	18kW	21.7kW
<b>Fuse size</b>	32A	32A	32A	13A	32A	32A	32A	13A	32A	32A	32A	13A
<b>Dimensions - packed</b>	1045mmH x 1045mmW x 740mmD 105.95kg	1045mmH x 1045mmW x 740mmD 97.75kg	1045mmH x 1045mmW x 740mmD 93.9kg	1045mmH x 1045mmW x 740mmD 99.45kg	1045mmH x 1130mmW x 740mmD 92.9kg	1045mmH x 1130mmW x 740mmD 112.85kg	1045mmH x 1130mmW x 740mmD 92.9kg	1045mmH x 1130mmW x 740mmD 101.7kg	1045mmH x 1230mmW x 740mmD 122.7kg	1045mmH x 1230mmW x 740mmD 105.7kg	1045mmH x 1230mmW x 740mmD 101.4kg	1045mmH x 1230mmW x 740mmD 110.4kg
<b>Dimensions - product</b>	900-930mmH x 896mmW x 600mmD 98.95kg	900-930mmH x 896mmW x 600mmD 90.75kg	900-930mmH x 896mmW x 600mmD 86.9kg	900-930mmH x 896mmW x 600mmD 92.45kg	900-930mmH x 996mmW x 600mmD 90.4kg	900-930mmH x 996mmW x 600mmD 105.85kg	900-930mmH x 996mmW x 600mmD 85.9kg	900-930mmH x 996mmW x 600mmD 94.7kg	900-930mmH x 1096mmW x 600mmD 97.7kg	900-930mmH x 1096mmW x 600mmD 94.7kg	900-930mmH x 1096mmW x 600mmD 94.4kg	900-930mmH x 1096mmW x 600mmD 103.4kg
<b>Black SKU code</b>	444410743	444410749	444410755	444410761	444410745	444410751	444410757	444410763	444410747	444410753	444410759	444410765
<b>Stainless Steel SKU code</b>	444410744	444410750	444410756	444410762	444410746	444410752	444410758	444410764	444410748	444410754	444410760	444410766



Product name	Richmond Deluxe S900DF	Richmond Deluxe S900DF GTG	Richmond Deluxe S900EI	Richmond Deluxe S900G	Richmond Deluxe S1000DF	Richmond Deluxe S1000DF GTG	Richmond Deluxe S1000EI	Richmond Deluxe S1000G	Richmond Deluxe S1100DF	Richmond Deluxe S1100DF GTG	Richmond Deluxe S1100EI	Richmond Deluxe S1100G
<b>Cavity 3</b>	Right position Second oven Electric tall split fanned oven/grill 5 functions: Fixed rate electric grill Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 94 actual / 79 litre usable capacity Usable cavity dimensions: 620mmH x 350mmW x 395mmD Power: 3.0Kwh Consumption: 0.94Kwh (Forced air) 3 shelves, 8 shelf positions 8 telescopic shelf positions Usable area of shelves: 339mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Door thermometer	Right position Second oven Electric tall split fanned oven/grill 5 functions: Fixed rate electric grill Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 94 actual / 79 litre usable capacity Usable cavity dimensions: 620mmH x 350mmW x 395mmD Power: 3.0Kwh Consumption: 0.94Kwh (Forced air) 3 shelves, 8 shelf positions 8 telescopic shelf positions Usable area of shelves: 339mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Door thermometer	Right position Second oven Electric tall split fanned oven/grill 5 functions: Fixed rate electric grill Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 94 actual / 79 litre usable capacity Usable cavity dimensions: 620mmH x 350mmW x 395mmD Power: 3.0Kwh Consumption: 0.94Kwh (Forced air) 3 shelves, 8 shelf positions 8 telescopic shelf positions Usable area of shelves: 339mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Door thermometer	Right position Second oven Electric tall split fanned oven/grill 5 functions: Fixed rate electric grill Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 94 actual / 79 litre usable capacity Usable cavity dimensions: 620mmH x 350mmW x 395mmD Power: 3.0Kwh Consumption: 0.94Kwh (Forced air) 3 shelves, 8 shelf positions 8 telescopic shelf positions Usable area of shelves: 339mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Door thermometer	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 64 actual / 57 litre usable capacity Usable cavity dimensions: 350mmH x 420mmW x 395mmD Power: 2.0Kwh Consumption: 0.67Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 64 actual / 57 litre usable capacity Usable cavity dimensions: 350mmH x 420mmW x 395mmD Power: 2.0Kwh Consumption: 0.67Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 64 actual / 57 litre usable capacity Usable cavity dimensions: 350mmH x 420mmW x 395mmD Power: 2.0Kwh Consumption: 0.67Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Top right position Second oven Gas Conventional Oven A energy rating 64 actual / 59 litre usable capacity Usable cavity dimensions: 350mmH x 420mmW x 315mmD Power: 2.5Kwh Consumption: 1.5Kwh (Conventional) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 71 actual / 64 litre usable capacity Usable cavity dimensions: 350mmH x 470mmW x 395mmD Power: 2.0Kwh Consumption: 0.75Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 71 actual / 64 litre usable capacity Usable cavity dimensions: 350mmH x 470mmW x 395mmD Power: 2.0Kwh Consumption: 0.75Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 71 actual / 64 litre usable capacity Usable cavity dimensions: 350mmH x 470mmW x 395mmD Power: 2.0Kwh Consumption: 0.75Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Top right position Second oven Gas Conventional Oven A energy rating 71 actual / 66 litre usable capacity Usable cavity dimensions: 350mmH x 470mmW x 315mmD Power: 2.5Kwh Consumption: 1.79Kwh (Conventional) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 307mmD Halogen light Easy clean enamel interior Side opening door
<b>Cavity 4</b>					Bottom right position Fourth oven Electric slow cooker Slow cook function 37 actual / 37 litre usable capacity Usable cavity dimensions: 200mmH x 420mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 37 actual / 37 litre usable capacity Usable cavity dimensions: 200mmH x 420mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 37 actual / 37 litre usable capacity Usable cavity dimensions: 200mmH x 420mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 37 actual / 37 litre usable capacity Usable cavity dimensions: 200mmH x 420mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 41 actual / 41 litre usable capacity Usable cavity dimensions: 200mmH x 470mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 41 actual / 41 litre usable capacity Usable cavity dimensions: 200mmH x 470mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 41 actual / 41 litre usable capacity Usable cavity dimensions: 200mmH x 470mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 41 actual / 41 litre usable capacity Usable cavity dimensions: 200mmH x 470mmW x 430mmD Power: 0.16Kwh Drop-down door
<b>Fascia cooling system</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Zeus Bluetooth Connected Timer</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Proflex Splitter</b>	Yes	Yes	Yes	Yes								
<b>Adjustable feet</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Rear wheels</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Removable cast griddle plate</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Wok cradle</b>	Yes	Yes	Yes	Yes	Yes	Yes, 2	Yes	Yes	Yes	Yes, 2	Yes	Yes
<b>Steam &amp; Infuse</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Full width oven pan - deep</b>	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2
<b>Full width oven pan - reversible trivet</b>	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2
<b>Oven/grill pan handle</b>	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 1	Yes, 1	Yes, 1	Yes, 1	Yes, 1	Yes, 1	Yes, 1	Yes, 1
<b>LPG conversion kit (available separately)</b>	Yes	Yes			Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Removable parts (for cleaning)</b>	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides
<b>Gas type</b>	Nat Gas	Nat Gas	Nat Gas	Nat Gas	Nat Gas	Nat Gas	Nat Gas	Nat Gas	Nat Gas	Nat Gas	Nat Gas	Nat Gas
<b>Gas inlet type</b>	1/2" BSP female	1/2" BSP female	1/2" BSP female	1/2" BSP female	1/2" BSP female	1/2" BSP female	1/2" BSP female	1/2" BSP female	1/2" BSP female	1/2" BSP female	1/2" BSP female	1/2" BSP female
<b>Gas inlet position</b>	Rear right	Rear right	Rear right	Rear right	Rear right	Rear right	Rear right	Rear right	Rear right	Rear right	Rear right	Rear right
<b>LPG convertible</b>	Yes	Yes			Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Hard wired</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Electrical connection</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Supply voltage</b>	240V	240V	240V	240V	240V	240V	240V	240V	240V	240V	240V	240V
<b>Total electrical power load</b>	8.98kW	8.98kW	16.38kW	3.13kW	8.13kW	8.13kW	15.53kW	2.98kW	8.13kW	8.13kW	15.53kW	2.98kW
<b>Total gas power load</b>	12kW	13kW		16.9kW	15kW	18kW		21.7kW	15kW	18kW		21.7kW
<b>Fuse size</b>	32A	32A	32A	13A	32A	32A	32A	13A	32A	32A	32A	13A
<b>Dimensions - packed</b>	1045mmH x 1045mmW x 740mmD 104.45kg	1045mmH x 1045mmW x 740mmD 96.25kg	1045mmH x 1045mmW x 740mmD 92.4kg	1045mmH x 1045mmW x 740mmD 97.95kg	1045mmH x 1130mmW x 740mmD 105.6kg	1045mmH x 1130mmW x 740mmD 111.35kg	1045mmH x 1130mmW x 740mmD 96.5kg	1045mmH x 1130mmW x 740mmD 100.15kg	1045mmH x 1230mmW x 740mmD 114.5kg	1045mmH x 1230mmW x 740mmD 121kg	1045mmH x 1230mmW x 740mmD 99.9kg	1045mmH x 1230mmW x 740mmD 108.7kg
<b>Dimensions - product</b>	900-930mmH x 896mmW x 600mmD 97.45kg	900-930mmH x 896mmW x 600mmD 89.25kg	900-930mmH x 896mmW x 600mmD 85.4kg	900-930mmH x 896mmW x 600mmD 91kg	900-930mmH x 996mmW x 600mmD 104.35kg	900-930mmH x 996mmW x 600mmD 89.5kg	900-930mmH x 996mmW x 600mmD 93.15kg	900-930mmH x 996mmW x 600mmD 93.15kg	900-930mmH x 1096mmW x 600mmD 107.5kg	900-930mmH x 1096mmW x 600mmD 114kg	900-930mmH x 1096mmW x 600mmD 92.9kg	900-930mmH x 1096mmW x 600mmD 101.7kg
<b>Black SKU code</b>	444444897	444444899	444444905	444444903	444444907	444444909	444444915	444444913	444444917	444444919	444444925	444444923
<b>Classic Cream SKU code</b>	444444898	444444900	444444906	444444904	444444908	444444910	444444916	444444914	444444918	444444920	444444926	444444924
<b>Anthracite SKU code</b>	444410264	444410271	444410285	444410278	444410292	444410299	444410313	444410306	444410805	444410256	444410257	444410805

Product name	Richmond S900DF	Richmond S900EI	Richmond S900G	Richmond S1000DF	Richmond S1000EI	Richmond S1000G	Richmond S1100DF	Richmond S1100EI	Richmond S1100G	
<b>Product description</b>	900mm Dual Fuel Range Cooker	900mm Induction Range Cooker	900mm Gas Range Cooker	1000mm Dual Fuel Range Cooker	1000mm Induction Range Cooker	1000mm Gas Range Cooker	1100mm Dual Fuel Range Cooker	1100mm Induction Range Cooker	1100mm Gas Range Cooker	
<b>Fuel</b>	Dual Fuel	Electric	Gas	Dual Fuel	Electric	Gas	Dual Fuel	Electric	Gas	
<b>Number of ovens</b>	3	3	2	4	4	4	4	4	4	
<b>Warranty period</b>	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	
<b>Hob</b>	5 Gas Burners Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	5 Induction Zones Medium Induction (1.6 - 3.0kW) Medium Induction (1.6 - 3.0kW) Large Induction (2.3 - 3.7kW) Small Induction (1.15 - 2.2kW) Medium Induction (1.4 - 3.0kW) Individual residual Heat Indicators Touch Controls (Hotplate) Digital power display 10 power levels (incl. boost) Keep warm function Pan detection Pan overheat detection Child lock Boost function 3 presets (melt/sauce, keep warm, rapid simmer) Auto heat up Auto stand by Minute minder Timer function Easy clean ceramic glass surface	5 gas burners Medium (2kW) Small (1kW) Wok burner (4kW) Large (3kW) Medium (2kW) Cast iron pan supports Auto ignition Thermocouples (Flame safety device)	7 Gas Burners Small (1.0kW) Medium (2.0kW) Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	5 Induction Zones Medium Induction (1.6 - 3.0kW) Medium Induction (1.6 - 3.0kW) Large Induction (2.3 - 3.7kW) Small Induction (1.15 - 2.2kW) Medium Induction (1.4 - 3.0kW) Individual residual Heat Indicators Touch Controls (Hotplate) Digital power display 10 power levels (incl. boost) Keep warm function Pan detection Pan overheat detection Child lock Boost function 3 presets (melt/sauce, keep warm, rapid simmer) Auto heat up Auto stand by Minute minder Timer function Easy clean ceramic glass surface	7 Gas Burners Small (1.0kW) Medium (2.0kW) Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	7 Gas Burners Small (1.0kW) Medium (2.0kW) Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	5 Induction Zones Medium Induction (1.6 - 3.0kW) Medium Induction (1.6 - 3.0kW) Large Induction (2.3 - 3.7kW) Small Induction (1.15 - 2.2kW) Medium Induction (1.4 - 3.0kW) Individual residual Heat Indicators Touch Controls (Hotplate) Digital power display 10 power levels (incl. boost) Keep warm function Pan detection Pan overheat detection Child lock Boost function 3 presets (melt/sauce, keep warm, rapid simmer) Auto heat up Auto stand by Minute minder Timer function Easy clean ceramic glass surface	7 Gas Burners Small (1.0kW) Medium (2.0kW) Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	
<b>Cavity 1</b>	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.59Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 357mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.59Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 357mmD Drop-down door	Top left position Gas grill 37 actual / 35 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 2.4Kwh 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 307mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.59Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 357mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.59Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 357mmD Drop-down door	Top left position Third oven Conventional oven & grill 2 functions: Fixed rate dual circuit electric grill Conventional gas oven A+ energy rating 37 actual / 24 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 1.7Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.90Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 307mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 41 actual / 35 litre usable capacity Usable cavity dimensions: 180mmH x 470mmW x 430mmD Power: 1.7Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.66Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 467mmW x 357mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 41 actual / 35 litre usable capacity Usable cavity dimensions: 180mmH x 470mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.66Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 467mmW x 357mmD Drop-down door	Top left position Third oven Conventional oven & grill 2 functions: Fixed rate dual circuit electric grill Conventional gas oven A energy rating 37 actual / 27 litre usable capacity Usable cavity dimensions: 180mmH x 470mmW x 430mmD Power: 1.7Kwh (Oven), 2.7Kwh (Grill) Consumption: 1.30Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 467mmW x 307mmD Drop-down door	
<b>Cavity 2</b>	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.73Kwh (Forced air) 0.76Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.73Kwh (Forced air) 0.76Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Gas conventional oven Programmable oven A energy rating 64 actual / 64 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 315mmD Power: 2.5Kwh Consumption: 1.50Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 307mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.73Kwh (Forced air) 0.76Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.73Kwh (Forced air) 0.76Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.73Kwh (Forced air) 0.76Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Gas conventional oven Programmable oven A energy rating 64 actual / 59 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 315mmD Power: 2.5Kwh Consumption: 1.50Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 307mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 470mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.71Kwh (Forced air) 0.79Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 470mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.71Kwh (Forced air) 0.79Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Gas conventional oven Programmable oven A energy rating 71 actual / 66 litre usable capacity Usable cavity dimensions: 325mmH x 470mmW x 315mmD Power: 2.5Kwh Consumption: 1.80Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 467mmW x 307mmD Halogen light Easy clean enamel interior Side opening door Viewing window

CONTINUED  
OVERLEAF

Product name	Richmond S900DF	Richmond S900EI	Richmond S900G	Richmond S1000DF	Richmond S1000EI	Richmond S1000G	Richmond S1100DF	Richmond S1100EI	Richmond S1100G
<b>Cavity 3</b>	Right position Second oven Electric tall fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 94 actual / 87 litre usable capacity Usable cavity dimensions: 620mmH x 350mmW x 395mmD Power: 2.5Kwh Consumption: 0.81Kwh (Forced air) 3 shelves, 8 shelf positions 8 telescopic shelf positions Usable area of shelves: 339mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Door thermometer	Right position Second oven Electric tall fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 94 actual / 87 litre usable capacity Usable cavity dimensions: 620mmH x 350mmW x 395mmD Power: 2.5Kwh Consumption: 0.81Kwh (Forced air) 3 shelves, 8 shelf positions 8 telescopic shelf positions Usable area of shelves: 339mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Door thermometer	Right position Second oven Electric tall fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 94 actual / 87 litre usable capacity Usable cavity dimensions: 620mmH x 350mmW x 395mmD Power: 2.5Kwh Consumption: 0.94Kwh (Forced air) 3 shelves, 8 shelf positions 8 telescopic shelf positions Usable area of shelves: 339mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Door thermometer	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 64 actual / 57 litre usable capacity Usable cavity dimensions: 350mmH x 420mmW x 395mmD Power: 2.0Kwh Consumption: 0.67Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 64 actual / 57 litre usable capacity Usable cavity dimensions: 350mmH x 420mmW x 395mmD Power: 2.0Kwh Consumption: 0.67Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Top right position Second oven Gas conventional oven A energy rating 64 actual / 59 litre usable capacity Usable cavity dimensions: 350mmH x 420mmW x 315mmD Power: 2.5Kwh Consumption: 1.5Kwh (Conventional) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing Window	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 71 actual / 64 litre usable capacity Usable cavity dimensions: 350mmH x 470mmW x 395mmD Power: 2.0Kwh Consumption: 0.75Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 71 actual / 64 litre usable capacity Usable cavity dimensions: 350mmH x 470mmW x 395mmD Power: 2.0Kwh Consumption: 0.75Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Top right position Second oven Gas conventional oven A energy rating 71 actual / 66 litre usable capacity Usable cavity dimensions: 350mmH x 470mmW x 315mmD Power: 2.5Kwh Consumption: 1.80Kwh (Conventional) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 307mmD Halogen light Easy clean enamel interior Side opening door Viewing Window
<b>Cavity 4</b>				Bottom right position Fourth oven Electric slow cooker Slow cook function 37 actual / 37 litre usable capacity Usable cavity dimensions: 200mmH x 420mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 37 actual / 37 litre usable capacity Usable cavity dimensions: 200mmH x 420mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 37 actual / 37 litre usable capacity Usable cavity dimensions: 200mmH x 420mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 41 actual / 41 litre usable capacity Usable cavity dimensions: 200mmH x 470mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 41 actual / 41 litre usable capacity Usable cavity dimensions: 200mmH x 470mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 41 actual / 41 litre usable capacity Usable cavity dimensions: 200mmH x 470mmW x 430mmD Power: 0.16Kwh Drop-down door
<b>Fascia cooling system</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Zeus Bluetooth Connected Timer</b>									
<b>Proflex Splitter</b>									
<b>Adjustable feet</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Rear wheels</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Removable cast griddle plate</b>	Yes		Yes	Yes		Yes	Yes		Yes
<b>Wok cradle</b>									
<b>Steam &amp; Infuse</b>									
<b>Full width oven pan - deep</b>	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2
<b>Full width oven pan - reversible trivet</b>	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2
<b>Oven/grill pan handle</b>	Yes, 2	Yes, 2	Yes, 2	Yes, 1	Yes, 1	Yes, 1	Yes, 1	Yes, 1	Yes, 1
<b>LPG conversion kit (available separately)</b>	Yes		No	Yes		No	Yes		No
<b>Removable parts (for cleaning)</b>	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides
<b>Gas type</b>	Nat Gas		Nat Gas	Nat Gas		Nat Gas	Nat Gas		Nat Gas
<b>Gas inlet type</b>	1/2" BSP female		1/2" BSP female	1/2" BSP female		1/2" BSP female	1/2" BSP female		1/2" BSP female
<b>Gas inlet position</b>	Rear right		Rear right	Rear right		Rear right	Rear right		Rear right
<b>LPG convertible</b>	Yes		No	Yes		No	Yes		No
<b>Hard wired</b>	Yes	Yes	No	Yes		No	Yes	Yes	No
<b>Electrical connection</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Supply voltage</b>	240V	240V	240V	240V	240V	240V	240V	240V	240V
<b>Total electrical power load</b>	8.45kW	15.85kW	3.13kW	8.13kW	15.53kW	2.98kW	8.13kW	15.53kW	2.98kW
<b>Total gas power load</b>	12kW		16.8kW	12kW		21.7kW	12kW		21.7kW
<b>Fuse size</b>	32A	32A	13A	32A	32A	13A	32A	32A	13A
<b>Dimensions - packed</b>	1045mmH x 1045mmW x 740mmD 101.2kg	1045mmH x 1045mmW x 740mmD 89.6kg	1045mmH x 1045mmW x 740mmD 97.95kg	1045mmH x 1130mmW x 740mmD 104.2kg	1045mmH x 1130mmW x 740mmD 95.8kg	1045mmH x 1130mmW x 740mmD 100.15kg	1045mmH x 1230mmW x 740mmD 113.3kg	1045mmH x 1230mmW x 740mmD 99.2kg	1045mmH x 1230mmW x 740mmD 108.7kg
<b>Dimensions - product</b>	900-930mmH x 896mmW x 600mmD 94.2kg	900-930mmH x 896mmW x 600mmD 82.6kg	900-930mmH x 896mmW x 600mmD 90.95kg	900-930mmH x 996mmW x 600mmD 97.2kg	900-930mmH x 996mmW x 600mmD 88.8kg	900-930mmH x 996mmW x 600mmD 93.15kg	900-930mmH x 1096mmW x 600mmD 106.3kg	900-930mmH x 1096mmW x 600mmD 92.2kg	900-930mmH x 1096mmW x 600mmD 101.7kg
<b>Black SKU code</b>	444444435	444444445	444410797	444444451	444444460	444410800	444444466	444444475	444410803
<b>Classic Cream SKU code</b>	444444436	444444446	444410798	444444452	444444461	444410801	444444467	444444476	444410804
<b>Anthracite SKU code</b>	444410252	444410253	444410799	444410254	444410255	444410802	444410256	444410257	444410805



Product name	Sterling Deluxe S900DF	Sterling Deluxe S900DF GTG	Sterling Deluxe S900EI	Sterling Deluxe S900G	Sterling Deluxe S1000DF	Sterling Deluxe S1000DF GTG	Sterling Deluxe S1000EI	Sterling Deluxe S1000G	Sterling Deluxe S1100DF	Sterling Deluxe S1100DF GTG	Sterling Deluxe S1100EI	Sterling Deluxe S1100G
<b>Cavity 3</b>	Right position Second oven Electric tall split fanned oven/grill 5 functions: Fixed rate electric grill Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 94 actual / 79 litre usable capacity Usable cavity dimensions: 620mmH x 350mmW x 395mmD Power: 2.5Kwh Consumption: 0.94Kwh (Forced air) 3 shelves, 8 shelf positions 8 telescopic shelf positions Usable area of shelves: 339mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Right position Second oven Electric tall split fanned oven/grill 5 functions: Fixed rate electric grill Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 94 actual / 79 litre usable capacity Usable cavity dimensions: 620mmH x 350mmW x 395mmD Power: 2.5Kwh Consumption: 0.94Kwh (Forced air) 3 shelves, 8 shelf positions 8 telescopic shelf positions Usable area of shelves: 339mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Right position Second oven Electric tall split fanned oven/grill 5 functions: Fixed rate electric grill Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 94 actual / 79 litre usable capacity Usable cavity dimensions: 620mmH x 350mmW x 395mmD Power: 2.5Kwh Consumption: 0.94Kwh (Forced air) 3 shelves, 8 shelf positions 8 telescopic shelf positions Usable area of shelves: 339mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Right position Second oven Electric tall split fanned oven/grill 5 functions: Fixed rate electric grill Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 94 actual / 79 litre usable capacity Usable cavity dimensions: 620mmH x 350mmW x 395mmD Power: 2.5Kwh Consumption: 0.94Kwh (Forced air) 3 shelves, 8 shelf positions 8 telescopic shelf positions Usable area of shelves: 339mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 64 actual / 57 litre usable capacity Usable cavity dimensions: 350mmH x 420mmW x 395mmD Power: 2.0Kwh Consumption: 0.66Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 64 actual / 57 litre usable capacity Usable cavity dimensions: 350mmH x 420mmW x 395mmD Power: 2.0Kwh Consumption: 0.66Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 64 actual / 57 litre usable capacity Usable cavity dimensions: 350mmH x 420mmW x 395mmD Power: 2.0Kwh Consumption: 0.66Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Top right position Second oven Gas Conventional Oven A energy rating 64 actual / 59 litre usable capacity Usable cavity dimensions: 350mmH x 420mmW x 315mmD Power: 2.5Kwh Consumption: 1.51Kwh (Conventional) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 71 actual / 64 litre usable capacity Usable cavity dimensions: 350mmH x 470mmW x 395mmD Power: 2.0Kwh Consumption: 0.75Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 71 actual / 64 litre usable capacity Usable cavity dimensions: 350mmH x 470mmW x 395mmD Power: 2.0Kwh Consumption: 0.75Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 71 actual / 64 litre usable capacity Usable cavity dimensions: 350mmH x 470mmW x 395mmD Power: 2.0Kwh Consumption: 0.75Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Top right position Second oven Gas Conventional Oven A energy rating 71 actual / 66 litre usable capacity Usable cavity dimensions: 350mmH x 470mmW x 315mmD Power: 2.5Kwh Consumption: 1.79Kwh (Conventional) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 307mmD Halogen light Easy clean enamel interior Side opening door
<b>Cavity 4</b>					Bottom right position Fourth oven Electric slow cooker Slow cook function 37 actual / 37 litre usable capacity Usable cavity dimensions: 200mmH x 420mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 37 actual / 37 litre usable capacity Usable cavity dimensions: 200mmH x 420mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 37 actual / 37 litre usable capacity Usable cavity dimensions: 200mmH x 420mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 37 actual / 37 litre usable capacity Usable cavity dimensions: 200mmH x 420mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 41 actual / 41 litre usable capacity Usable cavity dimensions: 200mmH x 470mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 41 actual / 41 litre usable capacity Usable cavity dimensions: 200mmH x 470mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 41 actual / 41 litre usable capacity Usable cavity dimensions: 200mmH x 470mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 41 actual / 41 litre usable capacity Usable cavity dimensions: 200mmH x 470mmW x 430mmD Power: 0.16Kwh Drop-down door
<b>Fascia cooling system</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Zeus Bluetooth Connected Timer</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Proflex Splitter</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Adjustable feet</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Rear wheels</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Removable cast griddle plate</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Wok cradle</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Steam &amp; Infuse</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Full width oven pan - deep</b>	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2
<b>Full width oven pan - reversible trivet</b>	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2
<b>Oven/grill pan handle</b>	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 1	Yes, 1	Yes, 1	Yes, 1	Yes, 1	Yes, 1	Yes, 1	Yes, 1
<b>LPG conversion kit (available separately)</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Removable parts (for cleaning)</b>	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides
<b>Gas type</b>	Nat Gas	Nat Gas	Nat Gas	Nat Gas	Nat Gas	Nat Gas	Nat Gas	Nat Gas	Nat Gas	Nat Gas	Nat Gas	Nat Gas
<b>Gas inlet type</b>	1/2" BSP female	1/2" BSP female	1/2" BSP female	1/2" BSP female	1/2" BSP female	1/2" BSP female	1/2" BSP female	1/2" BSP female	1/2" BSP female	1/2" BSP female	1/2" BSP female	1/2" BSP female
<b>Gas inlet position</b>	Rear right	Rear right	Rear right	Rear right	Rear right	Rear right	Rear right	Rear right	Rear right	Rear right	Rear right	Rear right
<b>LPG convertible</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Hard wired</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Electrical connection</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Supply voltage</b>	240V	240V	240V	240V	240V	240V	240V	240V	240V	240V	240V	240V
<b>Total electrical power load</b>	8.98kW	8.98kW	16.38kW	3.13kW	8.13kW	8.13kW	15.53kW	2.98kW	8.13kW	8.13kW	15.53kW	2.98kW
<b>Total gas power load</b>	12kW	13kW	16.8kW	15kW	18kW	18kW	21.7kW	21.7kW	15kW	18kW	18kW	21.7kW
<b>Fuse size</b>	32A	32A	32A	32A	32A	32A	32A	32A	32A	32A	32A	32A
<b>Dimensions - packed</b>	1045mmH x 1045mmW x 740mmD 105.95kg	1045mmH x 1045mmW x 740mmD 97.75kg	1045mmH x 1045mmW x 740mmD 93.9kg	1045mmH x 1045mmW x 740mmD 99.45kg	1045mmH x 1130mmW x 740mmD 97.4kg	1045mmH x 1130mmW x 740mmD 112.85kg	1045mmH x 1130mmW x 740mmD 92.9kg	1045mmH x 1130mmW x 740mmD 101.7kg	1045mmH x 1230mmW x 740mmD 105.7kg	1045mmH x 1230mmW x 740mmD 122.7kg	1045mmH x 1230mmW x 740mmD 101.4kg	1045mmH x 1230mmW x 740mmD 110.4kg
<b>Dimensions - product</b>	900-930mmH x 896mmW x 600mmD 98.95kg	900-930mmH x 896mmW x 600mmD 90.75kg	900-930mmH x 896mmW x 600mmD 86.9kg	900-930mmH x 896mmW x 600mmD 92.45kg	900-930mmH x 996mmW x 600mmD 90.4kg	900-930mmH x 996mmW x 600mmD 105.85kg	900-930mmH x 996mmW x 600mmD 85.9kg	900-930mmH x 996mmW x 600mmD 94.7kg	900-930mmH x 1096mmW x 600mmD 98.7kg	900-930mmH x 1096mmW x 600mmD 115.7kg	900-930mmH x 1096mmW x 600mmD 94.4kg	900-930mmH x 1096mmW x 600mmD 103.4kg
<b>Black SKU code</b>	444444931	444444933	444444939	444444935	444444941	444444943	444444949	444444945	444444951	444444953	444444959	444444955
<b>Stainless Steel SKU code</b>	444444932	444444934	444444940	444444936	444444942	444444944	444444950	444444946	444444952	444444954	444444960	444444956



Product name	Sterling S900DF	Sterling S900EI	Sterling S900G	Sterling S1000DF	Sterling S1000EI	Sterling S1000G	Sterling S1100DF	Sterling S1100EI	Sterling S1100G	
<b>Product description</b>	900mm Dual Fuel Range Cooker	900mm Induction Range Cooker	900mm Gas Range Cooker	1000mm Dual Fuel Range Cooker	1000mm Induction Range Cooker	1000mm Gas Range Cooker	1100mm Dual Fuel Range Cooker	1100mm Induction Range Cooker	1100mm Gas Range Cooker	
<b>Fuel</b>	Dual Fuel	Electric	Gas	Dual Fuel	Electric	Gas	Dual Fuel	Electric	Gas	
<b>Number of ovens</b>	3	3	2	4	4	4	4	4	4	
<b>Warranty period</b>	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	
<b>Hob</b>	5 Gas Burners Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	5 Induction Zones Medium Induction (1.6 - 3.0kW) Medium Induction (1.6 - 3.0kW) Large Induction (2.3 - 3.7kW) Small Induction (1.15 - 2.2kW) Medium Induction (1.4 - 3.0kW) Individual residual Heat Indicators Touch Controls (Hotplate) Digital power display 10 power levels (incl. boost) Keep warm function Pan detection Pan overheat detection Child lock Boost function 3 presets (melt/sauce, keep warm, rapid simmer) Auto heat up Auto stand by Minute minder Timer function Easy clean ceramic glass surface	5 Gas Burners Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	7 Gas Burners Small (1.0kW) Medium (2.0kW) Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	5 Induction Zones Medium Induction (1.6 - 3.0kW) Medium Induction (1.6 - 3.0kW) Large Induction (2.3 - 3.7kW) Small Induction (1.15 - 2.2kW) Medium Induction (1.4 - 3.0kW) Individual residual Heat Indicators Touch Controls (Hotplate) Digital power display 10 power levels (incl. boost) Keep warm function Pan detection Pan overheat detection Child lock Boost function 3 presets (melt/sauce, keep warm, rapid simmer) Auto heat up Auto stand by Minute minder Timer function Easy clean ceramic glass surface	7 Gas Burners Small (1.0kW) Medium (2.0kW) Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	5 Induction Zones Medium Induction (1.6 - 3.0kW) Medium Induction (1.6 - 3.0kW) Large Induction (2.3 - 3.7kW) Small Induction (1.15 - 2.2kW) Medium Induction (1.4 - 3.0kW) Individual residual Heat Indicators Touch Controls (Hotplate) Digital power display 10 power levels (incl. boost) Keep warm function Pan detection Pan overheat detection Child lock Boost function 3 presets (melt/sauce, keep warm, rapid simmer) Auto heat up Auto stand by Minute minder Timer function Easy clean ceramic glass surface	7 Gas Burners Small (1.0kW) Medium (2.0kW) Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	7 Gas Burners Small (1.0kW) Medium (2.0kW) Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	
<b>Cavity 1</b>	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.67Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 357mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 2.4Kwh 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 357mmD Drop-down door	Top left position Gas grill 37 actual / 35 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 2.4Kwh 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 307mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.67Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 357mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.67Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 357mmD Drop-down door	Top left position Third oven Conventional oven & grill 2 functions: Fixed rate dual circuit electric grill Conventional gas oven A+ energy rating 37 actual / 24 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 1.7Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.90Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 307mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 41 actual / 35 litre usable capacity Usable cavity dimensions: 180mmH x 470mmW x 430mmD Power: 1.7Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.66Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 467mmW x 357mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 41 actual / 35 litre usable capacity Usable cavity dimensions: 180mmH x 470mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.66Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 467mmW x 357mmD Drop-down door	Top left position Third oven Conventional oven & grill 2 functions: Fixed rate dual circuit electric grill Conventional gas oven A energy rating 37 actual / 27 litre usable capacity Usable cavity dimensions: 180mmH x 470mmW x 430mmD Power: 1.7Kwh (Oven), 2.7Kwh (Grill) Consumption: 1.30Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 467mmW x 307mmD Drop-down door	
<b>Cavity 2</b>	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.73Kwh (Forced air) 0.77Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.73Kwh (Forced air) 0.77Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Gas conventional oven Programmable oven A energy rating 64 actual / 64 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 315mmD Power: 2.5Kwh Consumption: 1.50Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 307mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.73Kwh (Forced air) 0.77Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.73Kwh (Forced air) 0.77Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.73Kwh (Forced air) 0.77Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Gas conventional oven Programmable oven A energy rating 64 actual / 59 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 315mmD Power: 2.5Kwh Consumption: 1.50Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 307mmD Halogen light Easy clean enamel interior Side opening door Viewing window*	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 71 actual / 60 litre usable capacity Usable cavity dimensions: 325mmH x 470mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.76Kwh (Forced air) 0.81Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 71 actual / 60 litre usable capacity Usable cavity dimensions: 325mmH x 470mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.76Kwh (Forced air) 0.81Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Gas conventional oven Programmable oven A energy rating 71 actual / 66 litre usable capacity Usable cavity dimensions: 325mmH x 470mmW x 315mmD Power: 2.5Kwh Consumption: 1.80Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 467mmW x 307mmD Halogen light Easy clean enamel interior Side opening door Viewing window

CONTINUED  
OVERLEAF

Product name	Sterling S900DF	Sterling S900EI	Sterling S900G	Sterling S1000DF	Sterling S1000EI	Sterling S1000G	Sterling S1100DF	Sterling S1100EI	Sterling S1100G
<b>Cavity 3</b>	Right position Second oven Electric tall fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 94 actual / 87 litre usable capacity Usable cavity dimensions: 620mmH x 350mmW x 395mmD Power: 2.5Kwh Consumption: 0.94Kwh (Forced air) 3 shelves, 8 shelf positions 8 telescopic shelf positions Usable area of shelves: 339mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Right position Second oven Electric tall fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 94 actual / 87 litre usable capacity Usable cavity dimensions: 620mmH x 350mmW x 395mmD Power: 2.5Kwh Consumption: 0.94Kwh (Forced air) 3 shelves, 8 shelf positions 8 telescopic shelf positions Usable area of shelves: 339mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Right position Second oven Electric tall fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 94 actual / 87 litre usable capacity Usable cavity dimensions: 620mmH x 350mmW x 395mmD Power: 2.5Kwh Consumption: 0.94Kwh (Forced air) 3 shelves, 8 shelf positions 8 telescopic shelf positions Usable area of shelves: 339mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 64 actual / 57 litre usable capacity Usable cavity dimensions: 350mmH x 420mmW x 395mmD Power: 2.0Kwh Consumption: 0.66Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 64 actual / 57 litre usable capacity Usable cavity dimensions: 350mmH x 420mmW x 395mmD Power: 2.0Kwh Consumption: 0.66Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Top right position Second oven Gas conventional oven A energy rating 64 actual / 59 litre usable capacity Usable cavity dimensions: 350mmH x 420mmW x 315mmD Power: 2.5Kwh Consumption: 1.5Kwh (Conventional) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 71 actual / 64 litre usable capacity Usable cavity dimensions: 350mmH x 470mmW x 395mmD Power: 2.0Kwh Consumption: 0.75Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 71 actual / 64 litre usable capacity Usable cavity dimensions: 350mmH x 470mmW x 395mmD Power: 2.0Kwh Consumption: 0.75Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Top right position Second oven Gas conventional oven A energy rating 71 actual / 66 litre usable capacity Usable cavity dimensions: 350mmH x 470mmW x 315mmD Power: 2.5Kwh Consumption: 1.80Kwh (Conventional) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 307mmD Halogen light Easy clean enamel interior Side opening door Viewing window
<b>Cavity 4</b>				Bottom right position Fourth oven Electric slow cooker Slow cook function 37 actual / 37 litre usable capacity Usable cavity dimensions: 200mmH x 420mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 37 actual / 37 litre usable capacity Usable cavity dimensions: 200mmH x 420mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 37 actual / 37 litre usable capacity Usable cavity dimensions: 200mmH x 420mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 41 actual / 41 litre usable capacity Usable cavity dimensions: 200mmH x 470mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 41 actual / 41 litre usable capacity Usable cavity dimensions: 200mmH x 470mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 41 actual / 41 litre usable capacity Usable cavity dimensions: 200mmH x 470mmW x 430mmD Power: 0.16Kwh Drop-down door
<b>Fascia cooling system</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Zeus Bluetooth Connected Timer</b>									
<b>Proflex Splitter</b>									
<b>Adjustable feet</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Rear wheels</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Removable cast griddle plate</b>	Yes		Yes	Yes		Yes	Yes		Yes
<b>Wok cradle</b>									
<b>Steam &amp; Infuse</b>									
<b>Full width oven pan - deep</b>	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2
<b>Full width oven pan - reversible trivet</b>	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2
<b>Oven/grill pan handle</b>	Yes, 2	Yes, 2	Yes, 2	Yes, 1	Yes, 1	Yes, 1	Yes, 1	Yes, 1	Yes, 1
<b>LPG conversion kit (available separately)</b>	Yes		No	Yes		No	Yes		No
<b>Removable parts (for cleaning)</b>	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides
<b>Gas type</b>	Nat Gas		Nat Gas	Nat Gas		Nat Gas	Nat Gas		Nat Gas
<b>Gas inlet type</b>	1/2" BSP female		1/2" BSP female	1/2" BSP female		1/2" BSP female	1/2" BSP female		1/2" BSP female
<b>Gas inlet position</b>	Rear right		Rear right	Rear right		Rear right	Rear right		Rear right
<b>LPG convertible</b>	Yes		No	Yes		No	Yes		No
<b>Hard wired</b>	Yes	Yes	No	Yes	Yes	No	Yes	Yes	No
<b>Electrical connection</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Supply voltage</b>	240V	240V	240V	240V	240V	240V	240V	240V	240V
<b>Total electrical power load</b>	8.45kW	15.85kW	3.13kW	8.13kW	15.53kW	2.98kW	8.13kW	15.53kW	2.98kW
<b>Total gas power load</b>	12kW		16.8kW	12kW		21.7kW	12kW		21.7kW
<b>Fuse size</b>	32A	32A	13A	32A	32A	13A	32A	32A	13A
<b>Dimensions - packed</b>	1045mmH x 1045mmW x 740mmD 102.7kg	1045mmH x 1045mmW x 740mmD 91.3kg	1045mmH x 1045mmW x 740mmD 99.45kg	1045mmH x 1130mmW x 740mmD 96kg	1045mmH x 1130mmW x 740mmD 101.7kg	1045mmH x 1130mmW x 740mmD 104.3kg	1045mmH x 1230mmW x 740mmD 100.7kg	1045mmH x 1230mmW x 740mmD 110.4kg	1045mmH x 1230mmW x 740mmD 110.4kg
<b>Dimensions - product</b>	900-930mmH x 896mmW x 600mmD 95.7kg	900-930mmH x 896mmW x 600mmD 92.45kg	900-930mmH x 896mmW x 600mmD 92.45kg	900-930mmH x 996mmW x 600mmD 89kg	900-930mmH x 996mmW x 600mmD 85.2kg	900-930mmH x 996mmW x 600mmD 94.7kg	900-930mmH x 1096mmW x 600mmD 93.7kg	900-930mmH x 1096mmW x 600mmD 103.4kg	900-930mmH x 1096mmW x 600mmD 103.4kg
<b>Black SKU code</b>	444444481	444444487	444410806	444444491	444444497	444410808	444444501	444444507	444410810
<b>Stainless Steel SKU code</b>	444444482	444444488	444410807	444444492	444444498	444410809	444444502	444444508	444410811