and and Model	
Brand	Stoves
Sub-brand	Precision Deluxe
Model	Precision DX S1100Ei
	Fredsion DX S1100Ei
Product Type	110cm Induction Range Cooker
Troddet Type	110cm Electric Induction Range Cooker With A 5 Zo
Chart Burdart Barrietian	Induction Hob, Conventional Oven & Grill,
Short Product Description	Multifunction Main Oven, Fanned Second Oven an Dedicated Slow Cook Oven
ey Product Benefits	
Benefit 1	Quad Ovens™ With 200L Total Cooking Capacity
Benefit 2	Umbra™ Glass
Benefit 3	Maxi Clock™ - LED Touch Control Programmer
Benefit 4	Steam & Infuse™
Benefit 5	5 Zone Induction Hob With Touch Control
	Multifunction Main Oven With Equiflow™ Technolo
Benefit 6	and 11 Settings Including Pizza and Bread Proving
Benefit 7	Pro-Trac™ Double-Extension Telescopic Sliders
Benefit 8	Maxi-Grill™ With Telescopic Sliders
Benefit 9	Dedicated Slow Cook Oven
Benefit 10	Child Lock Safety Feature For Hob Controls
Product Type	Range Cooker
Product Type Integrated or freestanding	Range Cooker Freestanding
Fuel	Electric
Number of ovens	4
Warranty period	5 Year Parts & 1 Year Labour
International market	
ob layout	
(diagram to be assigned)	
(diagram to be assigned)	
(diagram to be assigned)	
Hob summary	5 Induction Zones
No of burners/elements	5
Hotplate type	Framed Glass
Controls position	Hotplate
Gas hob	
Burner 1 (kW)	
Burner 2 (kW) Burner 3 (kW)	
Burner 4 (kW)	
Burner 5 (kW)	
Burner 6 (kW)	
Burner 7 (kW)	
Burner 8 (kW)	
Enamel pan supports	
Cast iron pan supports	
Enamel burner caps Matte burner caps	
Flat burner caps	
Profiled burner caps	
Enamel Clamp plates	
Matte clamp plates	
Push button ignition (battery)	
Push button ignition (mains)	
Automatic ignition	
Thermocouples (Flame safety device Glass lid with auto shut off	E)
Lid / Type	
Lid Handle / Front Trim	
Lid auto shut off	
Lid soft close	
Electric hob	** " - * *
Element 1 (kW)	Medium Induction 1.6 - 3.0
Element 2 (kW)	Medium Induction 1.6 - 3.0
Element 3 (kW)	Large Induction 2.3 - 3.7
Element 4 (kW)	Small Induction 1.15 - 2.2
Element 5 (kW)	Medium Induction 1.4 - 3.0
Element 6 (kW)	1.4 - 3.0
Element 7 (kW)	
Central on/off key	Yes
Hot hob light	
Individual residual Heat Indicators	Yes
Control type (rotary or touch)	Touch (hotplate)
Digital power display	Yes
Power levels	10 (inc. boost)
Keep warm function	Yes
Pan detection	Yes
Pan overheat detection	Yes
Child look	
Child lock Boost function	Yes Yes

Auto heat up Yes Minute minder Yes Minute minder Yes Imper Function. Cloddle Zone Yes Imper Judice function Cloddle Zone Yes Imper Judice Imper Ju			
Minute minder Timer Function Free Bridge Function / Griddle Zone Bridge Function / Bridge Br			
Timer Function Yes Bridge Function Gradite Zone Yes Easy clean ceramic glass surface Yes Top left Position Position Top left Position Position Top left Position Position Position Position Position Position Position Position Position Positio			
Bridge Function / Griddle Zone Easy clean ceramic glass surface (Cavity 3) Position Heard State (Cavity 3) Position Top left Heard State (Cavity 4) Position Top left Heard State (Cavity 4) No. of functions Programmable oven Pro] [
Easy clean cearnic glass surface Cavity 3 Position Top left Main/second/finin/fourth oven Function Function Function For functions Fired rate aga grill Carbon at the state of the state	[[Yes
Position Top left Third Third Third Third Electric Third Electric Third Electric Third Electric		Bridge Function / Griddle Zone	
Position		Easy clean ceramic glass surface	Yes
Main/second/thirid/flutch oven Third Function Electric E	Cavity 1		
Main/second/third/flourth oven Function		Position	Top left
Function Conventional over and drill Flectric No. of functions Programmable over Pro	l i	Main/second/third/fourth oven	
Fuel Bectric No. of functions 2 Programmable oven 2 Programmable oven 2 Programmable oven 2 Programmable oven 3 1 1 1 1 1 1 1 1 1			Conventional oven and grill
No. of functions 2	l 1		
Frogrammable oven	1 1		
Gas oven/grill Fixed rate as grill Variable rate as grill Variable rate as grill Variable rate as grill Conventional gas oven Automatic (spition Filame safety device Filame to the variable of the variable rate as grill Fixed rate dual circuit electric grill Fixed rate dual circuit electric grill Variable rate electric grill Yes Variable rate Variable rat			-
Fixed rate gas grill Variable rate gas grill Variable rate gas grill Conventional gas oven Automatic junition Flame safety device			
Variable rate gas grill Conventional gas oven Automatic (anithon Plame safety device			
Conventional gas oven Automatic (pathton Flame safety device Electric veryl grill			
Automatic ignition Flame safety device Electric oven / grill Fixed rate delactic grill Fixed rate delactic grill Variable rate electric grill Variable rate electric grill Variable rate electric grill Variable rate delactric descril grill Variable rate delactric oven Yes Formation electric oven Yes Fanned electric oven Defrost Intensive bale (top, bottom & fan) Top heat only Base heat only Base heat only Base heat with fan Grill with fan G			
Flame safety device			
Fixed rate deal circuit electric grill Fixed rate deal circuit electric grill Variable rate electric grill Variable rate electric grill Variable rate electric grill Yes Variable rate electric grill Yes Conventional electric oven Yes Fanned electric oven			
Fixed rate deutric grill Variable rate dual circuit dectric grill Ves Conventional electric oven Fanned electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat only Base heat with fan Grill with fan Uight only Slow cook Pizza function Reep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating A. [Cavity features Attual capacity (litres) Usable capacity (litres) Usable Cavity dimensions (htWxD mm) 180 x 470 x 430 Power (kW) Power (kW) Power (kW) Power (kW) Power (kW) Oven (1.4) Grill (2.7) Energy consumption (kwh) Ro of shelpes 0 No of shelpess Fixed 0 Telescopic shelves - Fixed 0 Telescopic			
Fixed rate dual circuit electric grill Variable rate electric grill Variable rate electric grill Variable rate decircit coven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Slow cook Pizza function Keep warm/plate warm function Read proving Piz setting Ataut capacity (litres) Usable capacity (litres) Usable c	12.000		
Variable rate dual circuit electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Vers Conventional electric oven Fanned electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat with fan Grill with fan Uight only Slow cook Pizza function Reep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating A. [Cavity features Atual capacity (titres) Usable capacity (titres) Usable Cayity dimensions (HWWD mm) 180 x 470 x 430 Power (kW) Power (kW) Oven (1.4) Grill (2.7) Energy consumption (Kwth) No of shelf positions I elescopic shelves - Fixed No of tshelpes of shelves (WxD mm) 467mm x 357mm Oven light / Type 118cc) Justic Capacity (titres) 2 Telescopic shelves - Fixed 0 Telescopic shelves - Fixed 0 Oven light / Type 1 Interior finish / colour Easy clean enamel / Black Door opening Drop-down Pres to position Pres to	1 1		
Variable rate dual circuit electric grill Yes			
Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat with fan Grill with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread prowing Pie setting Pie se			Yes
Fanned electric oven Defrost Intensive bake (top, bottom & fan) Yes Base heat only Base heat with fan Grill with fan Uight only Slow cook Pizza function Keep warm/plate warm function Reep warm/plate warm/proving A A A A A A A A A			
Defrost Intensive bake (top, bottom & fan) Yes Base heat only Ba			1.00
Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Reep warmylate warm function Bread proving Pize setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Finerry rating A A [Cavity features Actual capacity (litres) Usable capacity (litres) Usable capacity (litres) Usable capacity (litres) Usable capacity (litres) Oven (I.4) Minimum (I.27) Energy consumption (Kwh) No of shelf positions Door (kW) No of shelf positions Telescopic shelves - Removable/adjustable No of telescopic final positions Door litelscopic shelves Usable area of shelves (WxD mm) Door light / Type Usable area of shelves (WxD mm) Door light / Type Door opening Door opening Door opening Door opening Door opening Linner glass Door Linder (Ryb) Cavity 2 Pure Black Door Colour Pure Black Area position Press Cavity 2 Pure Black Door Colour Pure Black Door Cadding style / Colour Door colour glass Door Linder (Ryb) Cadding style / Colour Door features Screened branding Badge brand Stoves Cavity 2 Position Main/second/third/fourth oven Fuel Responded Agrill Field rate gas grill Variable rate gas grill Conventional gas oven Automatic ignition Fielettic carill Field rate electric grill			
Top heat only Base heat with fan Grill with fan Grill with fan Light only Slow cook Pizza function Keep warmylate warm function Preset over setting Presetting Meat probe Rapid heat Pyrohytic function Preset oven setting Energy rating A (Cavity features Actual capacity (fitres) Usable capacity (fitres) Usable capacity (fitres) Usable capacity (fitres) Usable capity (fitres) Usable capity (fitres) Usable setwich Prover (MW) Power (MW) Ferry consumption (Kwh) No of shelf positions Of shelf positions Of shelf positions Of steleves Of telescopic shelves Fixed Other of telescopic shelves Usable area of shelves (WXD mm) Oven light / Type Usable area of shelves (WXD mm) Oven light / Type Usable area of shelves (WXD mm) Oven light / Type Usable area of shelves (WXD mm) Oven light / Type Glass with matt black capping Door opening Street Cavity Colour Door dealing number(inc. outer if applicable) Prese Door outer glass Ves Float (Pure Black) x 1 Inner glass Cadding style / Colour Door features Screened branding Base Programmable oven Prese door oven I glack Prese Toolston Main/second/third/fourth oven Main/second/third/fourth oven Fluel Pred rate gas grill Variable rate gas grill Variable rate gas grill Fleet rate electric grill			
Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pies estining Meat probe Rapid heat Pyrohytic function Pre-set oven setting Finerry rating Actual capacity (litres) Usable capacity (litres) Oo on 1,14 Grill (2.7) Energy consumption (Kwh) No of shelf positions Power (kW) No of shelf positions Telescopic shelves - Removable/adjustable No of telescopic final positions Telescopic shelves - Removable/adjustable No of telescopic final positions Telescopic shelves - Removable/adjustable No of telescopic final positions Usable area of shelves (WxD mm) Oven light / Type Usable area of shelves (WxD mm) Oven light / Type Door opening Door Base of shelves (WxD mm) Door light (Pype Arrest position Viewing window Viewing humberfinc, outer if applicable) Pure Black Inner glass Inner glass Inner glass Ves, Float (Pure Black) x 1 Inner glass Craened branding Badge brand Stoves Cavity 2 Position Rain/second/third/fourth oven Fuel Rect rate gas grill Variable rate gas grill Variable rate gas grill Variable rate gas grill Fied rate gas grill Variable rate gas grill Fied rate			Yes
Base heat with fan Grill with fan Light only			103
Grill with fan Light only Slow cook Pizza function Reep warm/plate warm function Bread proving Pies estiting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating Actual capacity (litres) Jusable Cavity dimensions (HxWxD mm) Power (kW) Power			
Light only Slow cook Pizza function Reep warm/plate warm function Pizza function Reep warm/plate warm function Pizza function			<u>†</u>
Slow cook Pizza function Read proving Pies esting Pies est oven setting			
Pizza function Keep warm/plate warm function Bread proving Pie setting			1
Reea proving Pie setting Pie set oven setting Pie se			
Bread proving Pie setting Meat probe Rapid heat Perolytic function Pre-set oven setting Energy rating A [Cavity features Actual capacity (litres) Usable cavity dimensions (HxWxD mm) Power (kW) Power (kW) Coven (1.4) Grill (2.7) Energy consumption (Kwh) Coven (1.4) Grill (2.7) Energy consumption (Coven (1.4) Grill (2.7) Energy consumpt			
Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating A			
Meat probe Rapid heat Pyrolytic function Pre-set oven setting A			+
Rapid heat Pyrolytic function Pre-set oven setting Energy rating A Cavity Features			+
Pyrolytic function Pre-set oven setting Energy rating A			+
Pre-set oven setting Energy rating A			_
Cavity features			
Cavity features			· .
Actual capacity (litres) Usable capacity (litres) Dover (kW) Dover (kW) Dover (kJ) Energy consumption (kwh) Energy consumpt			A
Usable Capacity (litres) 35 Usable Cavity dimensions (HxWxD mm) 180 x 470 x 430 Power (RW) Oven (1.4) Grill (2.7)			- 44
Usable Cavity dimensions (HxWxD mm) Power (RW) Oven (1.4) Grill (2.7) Energy consumption (Kwh) Oven (1.4) Grill (2.7) Energy consumption (Kwh) Ook of Shelves No of shelves No of shelves - Removable/adjustable Telescopic shelves - Fixed Ook of telescopic fixing positions Usable area of shelves (WxD mm) Oven light / Type Interior finish / colour Door opening Door opening Hinge type Arrest position Viewing window Door glazing number(inc. outer if applicable) Door colour Handle style / Colour Door outer glass Inner glass Cladding type Cladding type Cladding tyte / Colour Door features Screened branding Badge brand Cavity 2 Position Fuel Back electric No of functions Fuel Rain/second/third/fourth oven Fuel Rain/second/third/fourth oven Fuel Rain search / Stoves Gas oven/grill Fixed rate glas grill Variable rate glas grill Fixed rate glas grill Fixed rate glas grill Fixed rate glas crim in the survey of the survey in			
Power (kW) Oven (1.4) Grill (2.7)			
Energy consumption (Kwh) No of shelves 0 No of shelf positions 1			
No of shelves			
No of shelf positions			
Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable No of telescopic fixing positions Usable area of shelves (WxD mm) Oven light / Type Interior finish / colour Door Door type Door opening Hinge type Arrest position Viewing window Door clazing number(inc. outer if applicable) Door colour Handle style / Colour Door outer glass Cladding type Cladding style / Colour Door features Screened branding Badge brand Cavity 2 Position Main/second/third/fourth oven Fuel No. of functions Programmable oven Fixed rate gas grill Variable rate gas grill Variable rate gas grill Fixed rate ga			
Telescopic shelves - Removable/adjustable No of telescopic fixing positions Usable area of shelves (WxD mm) Oven light / Type Interior finish / colour Door light / Type Interior finish / colour Door type Door type Glass with matt black capping Door opening Hinge type Arrest position Viewing window Door clour Pure Black Handle style / Colour Door colour Anodized Aluminium, bright brush effect Door outer glass Cladding type Cladding type Cladding style / Colour Door features Screened branding Badge brand Cavity 2 Position Poor features Screened branding Badge brand Position Poor features Screened branding Badge brand Position Poor features Screened branding Badge brand Stoves Cavity 2 Poor features Screened branding Badge brand Bottom left Badge brand Bottom lef			
No of telescopic fixing positions 2 Usable area of shelves (WxD mm) 467mm x 357mm Oven light / Type Interior finish / colour Easy clean enamel / Black			
Usable area of shelves (WxD mm) Oven light / Type Interior finish / colour Door type Door type Arrest position Door glazing number(inc. outer if applicable) Door colour Handle style / Colour Door oveneings Handle style / Colour Door oveneings Anodized Aluminium, bright brush effect Door oveneings Anodized Aluminium, bright brush effect Door oveneings Yes, Float (Pure Black) x 1 Inner glass Yes, Float (Pure Black) x 1 Inner glass Cladding type Cladding tyle / Colour Door features Screened branding Badge brand Stoves Cavity 2 Position Bottom left Main/second/third/fourth oven Fuel Function Function Functions Functions Functions Finction Fixed rate gas grill Conventional gas oven Automatic ignition Flame safety device [Electric oven/grill Fixed rate electric grill			
Doen light / Type Easy clean enamel / Black			
Interior finish / colour			467mm x 357mm
Door type Glass with matt black capping Door opening Drop-down			
Door type Glass with matt black capping		Interior finish / colour	Easy clean enamel / Black
Door opening	-		
Hinge type Arrest position Yiewing window Yes Door glazing number(inc. outer if applicable) 2 Door colour Anodized Aluminium, bright brush effect Door outer glass Yes, Float (Pure Black) x 1 Inner glass Yes, Float (Pure Black) x 1 Inner glass Yes x 1 Cladding type Cladding type Cladding tyle / Colour Door features Screened branding Badge brand Stoves Cavity 2 Position Bottom left Main/second/third/fourth oven Main Function Multifunction Oven Fuel Electric No. of functions 13 Programmable oven Yes Gas oven/grill Fixed rate gas grill Conventional gas oven Automatic ignition Flame safety device Electric oven/grill Fixed rate electric grill			
Arrest position Viewing window Door glazing number(inc. outer if applicable) Door colour Pure Black Handle style / Colour Door outer glass Yes, Float (Pure Black) x 1 Inner glass Cladding type Cladding type Cladding style / Colour Door features Screened branding Badge brand Stoves Cavity 2 Position Main/second/third/fourth oven Fuel No. of functions Programmable oven Fixed rate gas grill Conventional gas oven Automatic ignition Fixed rate electric oven/grill Fixed rate electric qrill			Drop-down
Viewing window Yes			
Door glazing number(inc. outer if applicable) 2 Door colour Pure Black		Arrest position	
Door colour			
Handle style / Colour Door outer glass Inner glass Cladding type Cladding style / Colour Door features Screened branding Badge brand Cavity 2 Position Main/second/third/fourth oven Fuel No. of functions Programmable oven Programmable oven Isked as grill Conventional gas oven Automatic ignition Fixed rate gas grill Fixed rate gas grill Conventional gas oven Automatic ignition Fixed rate gas grill Fixed rate gectric grill	[
Door outer glass Yes, Float (Pure Black) x 1	[[
Inner glass Cladding type Cladding style / Colour Door features Screened branding Badge brand Cavity 2 Position Main/second/third/fourth oven Function Function Function Fuel No. of functions Programmable oven Gas oven/grill Fixed rate gas grill Conventional gas oven Automatic ignition Flame safety device Electric oven/grill	[[
Cladding type Cladding style / Colour Door features Screened branding Badge brand Cavity 2 Position Main/second/third/fourth oven Function Function Function Functions Functions Frogrammable oven Programmable oven Fixed rate gas grill Conventional gas oven Automatic ignition Flame safety device Electric oven/grill Fixed rate electric grill Fixed rate electric grill Fixed rate gas grill Fixed rate electric grill			
Cladding style / Colour Door features Screened branding Stoves			Yes x 1
Door features Screened branding Badge brand Cavity 2 Position Bottom left Main/second/third/fourth oven Fuel No. of functions Programmable oven Programmable oven Gas oven/grill Fixed rate gas grill Conventional gas oven Automatic ignition Fiame safety device [Electric oven/grill Fixed rate deectric grill Fixed rate qas grill Fixed rate gas grill Fixed rate electric grill	[[
Screened branding Badge brand Stoves Cavity 2 Position Bottom left Main/second/third/fourth oven Function Function Function Fuel No. of functions Programmable oven Fixed rate gas grill Variable rate gas grill Conventional gas oven Automatic ignition Flame safety device Electric oven/grill	[
Badge brand Stoves Cavity 2 Position Bottom left Main/second/third/fourth oven Main Function Multifunction Oven Fuel Electric No. of functions 13 Programmable oven Yes Gas oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven Automatic ignition Flame safety device Electric oven/grill Fixed rate electric grill Fixed rate gas grill Fixed rate gas grill Fixed rate gas grill Fixed rate gas grill Fixed rate gas grill Fixed rate gas grill Fixed rate electric grill			
Cavity 2 Position			
Cavity 2 Position		Badge brand	Stoves
Main/second/third/fourth oven Main			
Main/second/third/fourth oven Main			Bottom left
Fuel Electric No. of functions 13 Programmable oven Yes Gas oven/grill Fixed rate gas grill Conventional gas oven Automatic ignition Flame safety device Electric oven/grill Fixed rate electric grill] [Main/second/third/fourth oven	Main
Fuel Electric No. of functions 13 Programmable oven Yes Gas oven/grill Fixed rate gas grill Conventional gas oven Automatic ignition Flame safety device Electric oven/grill Fixed rate electric grill	[Function	Multifunction Oven
Programmable oven Yes Gas oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven Automatic ignition Flame safety device Electric oven/grill Fixed rate electric grill			
Gas oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven Automatic ignition Flame safety device Electric oven/grill Fixed rate electric grill	[[13
Fixed rate gas grill Variable rate gas grill Conventional gas oven Automatic ignition Flame safety device Electric oven/grill Fixed rate electric grill			Yes
Fixed rate gas grill Variable rate gas grill Conventional gas oven Automatic ignition Flame safety device Electric oven/grill Fixed rate electric grill			
Conventional gas oven Automatic ignition Flame safety device Electric oven/grill Fixed rate electric grill			
Conventional gas oven Automatic ignition Flame safety device Electric oven/grill Fixed rate electric grill			
Flame safety device Electric oven/grill Fixed rate electric grill	[[Conventional gas oven	
Flame safety device Electric oven/grill Fixed rate electric grill			
Electric oven/grill Fixed rate electric grill			
Fixed rate electric grill			
prized rate duar circuit electric grin		Fixed rate dual circuit electric grill	
Variable rate electric grill Yes			Yes
Variable rate dual circuit electric grill			
Conventional electric oven Yes			Yes
Fanned electric oven Yes			
Defrost Yes			
Intensive bake (top, bottom & fan) Yes			
Top heat only Yes			
Base heat only Yes			
Base heat with fan Yes			

Cavity with assimption of the control of the contro		0.31 31.6	1
Sow cook Yes Rezo function Yes Recei warmylate warm function Yes Recei warmylate warm function Yes Red probe Red pro		Grill with fan	Yes
Resp warmfunkter warm function Resp warmfunkter warm function Yes Resp warmfunkter warm function Yes Resp warmfunkter warm function Preset for a present warmfunkter Resp warmfunkter warmfunkter Provious function Preset over setting Resp warmfunkter A Clarify Resp warmfunkter A Clarify Resp warmfunkter A Clarify Resp warmfunkter A Clarify Bushel Capacity (fittes) A Clarify Cherry (2A) Gen (4.7) Gen (4.7) Gen (4.7) Gen (4.7) Gen (4.7) Foreign consumption (forth) No of shelf positions Telescopic shelws - Removable/dijustable No of shelf positions Telescopic shelws - Removable/dijustable Double extending, removable Double option (1.7) Over 1041 / Type Wesh bloogen Interior finely (colour Door Door option Door option Areast position Areast position Vers position Areast position Areast position Vers position Areast position Areast position Vers position Areast position Areast position Vers position Vers position Areast position Ar			Vaa
Recep warm/plate were function Press the setting Press proble Provide function Press to prove a setting Recept proble Press to provide function (Press) Actual capacity (fitters) Actual capacity (fitt			
Bread proving Pes estiting Meat probe Meat probe Near the Meat probe Near Meat Near Me			
Pes setting Heat probe Ragid Intest Ragi			
Need proble			Yes
Rapid head to Provide function Process oven setting Provide function Process oven setting Pro			
Provide function Under Capacity (fires) U			
Pre-set oven setting Ferrey rating A			
Renery rating			
Actual capacity (filtres)			
Actual capacity (litres) Usable Cavity dimensions (HWWD mm) Usable Cavity dimensions (HWWD mm) December (W) Fereign consumption (Kich) No of shelves Telescopic shelves - Fixed	10 "		Α
Usable Capacity (limes)	Cavit		
Llasble Cavity dimensions (HWND mm) 325 x 470 x 395 Power (kW) Over (2.0) Coll (2.0) Coll (1.7) Every consumption (Kwh) 0.76kWh (Forced Art), 63kWh (Conventional) No of shelves 0.6 Telescopic shelp could be conventional 0.76kWh (Forced Art), 63kWh (Conventional) No of steelves 1.6 No of steelves 1.6 No of steelves (Woth mm) 0.76kWh (Forced Art), 63kWh (Conventional) No of steelves (Woth mm) 467mm x 357mm Oven light / Type Yes, hadgern Interior finish / Colour Easy dean enamel / Black Door opening Side opening Hinge type 1.6 Door opening 1.6 Door opening 1.6 Door opening 1.6 Handle skyle / Colour 2.6 Door opening 2.6 Handle skyle / Colour 2.7 Door out glass Yes, 1.6 Handle skyle / Colour Anoduzed Aluminium, bright brush effect Door out glass Yes, 50at (Free Black) x 1 Inner glass Yes, 1.6 Cadding type 1.6 Cavity 3 1.6 Position 7.0 right 1.6 Miniscennel/third/fourth oven 8.0 For the type 1.6 Cavity 3 1.6 Cavity 3 1.6 Cavity 4 1.6 Cavity 4 1.6 Conventional (as oven 4.1 No of functions 4.6 Programmable oven 4.7 Proven (Writer) 1.6 Coverts (Writer) 1.6 Coverts (Writer) 1.6 Coverts (Writer) 1.6 Cavity Setting 1.6 Programmable oven 1.6 Cavity Setting			
Power (kW) Energy consumption (kWh) Energy consumption (kWh) Energy consumption (kWh) No of shelves No of shelves No of shelves No of shelves Testecope shelves remod Testecope shelves remodal beautions Testecope shelves removable/disultable Double extending, removable/disultable Usable area of shelves (WO mm) Oven light // Type Yes, halogen Interior finish / colour Door (Jenny 1) Door (Jenny			
Prover (kW) Rengy consumption (Rwh) No of shelves Rengy consumption (Rwh) Rengy consumption (R		Usable Cavity dimensions (HxWxD mm)	
Service concurrent (with the content of the conte		Power (kW)	
No of shelves 2 No of shelf positions 6 Telescopic shelves - Fixed Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable No of telescopic froing positions 4 No on Inglif / Type 7 Noven Inglif / Type 8 Noven Inglif / Type 8 Noven Inglif / Type 9 Noven In		, ,	
No of shelf positions G			
Telescopic shelves - Fixed Telescopic shelves - Fixed No of telescopic fining positions 1			
Telescopic shelves - Removable (adustable No of telescopic fixing positions 4 4 Usable area of shelves (WxD mm) 467mm x 357mm Oven light / Type Yes, halogen Interior finish / colour Essy clean ename/ Black Door opening See year Hinge type Glass with mat black capping Door opening Side opening Hinge type Glass with mat black capping Door opening Side opening Hinge type Glass with mat black capping Door opening Side opening Hinge type Glass with mat black capping Door glazing number(inc, outer if applicable) 2 Door colour Pure Black Handle style / Colour Anodized Aluminium, bright brush effect Inner glass Yes, Float (Pure Black) x 1 Inner glass Yes, Fl			6
No of telescopic fining positions 4 Many			Davida satas dia a sasa adala
Usable area of shelves (WkD mm) 467mm x 357mm Oven light / Type Yes, halogen Interior finish / colour Easy clean ename / Black			
Oven light / Type			
Interior finish / colour Door Door Door type Glass with matt black capping			
Door type Glass with matt black capping			
Door type Door type Door poening Hinge type Arest position Viewing window Verying window Veryin	ID		Easy clean enamel / Black
Door opening Side opening Hinge type Arrest position Viewing window Yes Door glazing number(inc. outer if applicable) 2 2 Public of the process of the	Door		61 31 1111
Hinge type Arest position Viewing window Viewing window Door glazing numberfine, outer if applicable) Door colour Handle style / Colour Door colour Anodized Alunnimum, bright brush effect Door outer glass Cladding type Cladding style / Colour Door features Umbra™ Glass Screened branding Badge brand Cavity 3 Position Florid functions Function Function Fanned Oven Flucil Fixed rate gas grill Variable rate deal circuit electric grill Variable rate deal grill Variable rate deal grill Fixed rate deal circuit electric grill Variable rate deal circuit electric grill Variable rate deal grill Fixed rate deal circuit electric grill Variable rate deal grill Variable rate deal grill Variable rate deal grill Variable rate deal gr			
Arrest position Viewing window Viewing window Viewing window Vers Door glazing number(inc. outer if applicable) Door colour Handle style / Colour Door outer glass Uniner glass Ver, Float (Pure Black) x 1 Cladding type Cladding style / Colour Door features Umbra™ Glass Screened branding Badge brand Cavity 3 Position Pastion Position Fanned Oven Fuel No. of functions Fuel No. of functions Fuel Versiber are again! Variable rate gas grill Conventional gas oven Automatic garition Fiame safety device Fixed rate dual circuit electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Conventional gas bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Light only Siow cone Read proving Finered rate pass only Read proving Prese trong rating Preserve rating Pres			Side opening
Viewing window Yes			_
Door glazing number(inc. outer if applicable) Dor colour Handle style / Colour Dor outer diass Inner glass Oadding type Gladding style / Colour Door features Gladding style / Colour Door features Creatures Screened branding Scre			V
Door colour			
Handle style / Colour Anodized Aluminium, bright brush effect Door outer glass Yes x 1 Cladding type Cladding type Cladding type Cladding style / Colour Cladding style / Cladding sty			
Door outer glass Yes x 1			
Inner glass Yes x 1			
Cadding type Cladding style / Colour Door features Umbra™ Glass			
Cavity 3 Position Badge brand Cavity 3 Position Finet on Fine Active Color Co			Yes x 1
Door features Cavity 3			
Screened branding Badge brand Cavity 3 Position Position Position Finction Fanned Oven Function Function Full Receive a grail Fixed rate gas grill Variable rate gas grill Variable rate gas grill Variable rate descrit caril Fixed rate data circuit electric grill Variable rate descrit caril Variable rate descrit coril Variable rate descrit caril Variable rate descr			
Badge brand Position Top right Main/second/third/fourth oven Second Function Fanned Oven Function Fuel Electric No. of functions 4 Programmable oven Flower are aga grill Variable rate gas grill Conventional gas oven Automatic ignition Flame safety device Electric oven/grill			Umbra™ Glass
Cavity 3 Position Top right Main/second/third/fourth oven Second Function Fanned Oven Function Fanned Oven Full Function Fanned Oven Function Fanned oven Function Fanned oven Function Func			
Position Top right Main/second/third/fourth oven Second Function Fanned Oven Fuel Electric No. of functions 4 Programmable oven Fixed rate gas grill Variable rate gas grill Conventional gas oven Automatic ignition Fixed rate descrit cgrill Fixed rate descrit cgrill Fixed rate descrit cgrill Fixed rate delectric cgrill Fixed rate delectric grill Variable rate teal circuit electric grill Variable rate electric ignill Variable rate electric oven Fanned electric oven Fan			
Main/second/third/fourth oven Second Function Fanned Oven Fuel Electric No. of functions 4 Percent	Cavity 3		
Function			
Fuel Blectric No. of functions 4 1 1 1 1 1 1 1 1 1			
No. of functions 4 Programmable oven		Function	Fanned Oven
Food rate gas grill Fixed rate gas grill Conventional gas oven Automatic ignition Flame safety device Flame safety saf			Electric
Fixed rate gas grill Variable rate gas ween Variable rate electric grill Variable rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Variable rate			4
Fixed rate gas grill Variable rate gas grill Conventional gas oven Automatic ignition Flame safety device			
Variable rate gas grill Conventional gas oven Automatic ignition Flame safety device Electric oven/grill Fixed rate delectric grill Variable rate dual circuit electric grill Conventional electric oven Panned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Fees parmy/plate parmy/	Gas	oven/grill	
Conventional gas oven Automatic ignition Filame safety device Flame safety device Flame safety device Flame free drate electric grill Fixed rate electric grill Variable rate electric grill Variable rate electric grill Variable rate electric oven Fanned electric oven Fanned electric oven Panned elect		Fixed rate gas grill	
Automatic ignition Flame safety device Flame safety device Flame safety device Flame safety device Fixed rate dual circuit electric grill Fixed rate dual circuit electric grill Variable rate dual circuit electric grill		Variable rate gas grill	
Flame safety device		Conventional gas oven	
Fixed rate electric grill Fixed rate electric grill Fixed rate dual circuit electric grill Variable rate electric grill Variable rate dual circuit electric grill Variable rate dual circu		Automatic ignition	
Fixed rate electric grill Fixed rate dual circuit electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat only Slow cook Pizza function Keep warm/plate warm function Fee gray pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating Actual capacity (litres) Usable Capacity (litres) Variable rate electric grill Ves Pes Door type Door Glass Door opening Ves Ves Ves Ves Ves Pres Pres Ves Pres Pres Ves Pres Power (kW) Pres Pres Power (kW) Pres Pres Pres Pres Pres Pres Pres Pres			
Fixed rate dual circuit electric grill Variable rate electric grill Variable rate electric oven Fanned electric oven Fanned electric oven Perfost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Yes Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating Cavity features Actual capacity (litres) Usable Cavity dimensions (HxWxD mm) Power (kW)	Elect	ric oven/grill	
Variable rate dual circuit electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat with fan Cirill with fan Light only Slow cook Pizza function Keep warm/plate warm function Presst oven setting Meat probe Rapid heat Pyrolytic function Presset oven setting Energy rating A Cavity features Actual capacity (litres) Usable Cavity dimensions (HxWxD mm) Power (kW) Power (kw	-	Fixed rate electric grill	
Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Pres setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating A Cavity features Actual capacity (litres) Usable capacity (litres) Usable capacity (litres) Power (kW) Poof shelves Pices on shelves Pices on shelves Poof shelves Pool shelves Poof shelves Poof shelves Poof shelves Poof shelves Pool shelves Poof shelves Poor light / Type Poor Poor Side opening Poor Poor Side opening Poor Side opening		Fixed rate dual circuit electric grill	
Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Pres setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating A Cavity features Actual capacity (litres) Usable capacity (litres) Usable capacity (litres) Power (kW) Poof shelves Pices on shelves Pices on shelves Poof shelves Pool shelves Poof shelves Poof shelves Poof shelves Poof shelves Pool shelves Poof shelves Poor light / Type Poor Poor Side opening Poor Poor Side opening Poor Side opening		Variable rate electric grill	
Conventional electric oven Fanned electric oven Pefrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Preset oven setting Preset oven setting Faney rating Faney rating Cavity features Actual capacity (litres) Usable Cavity dimensions (HxWxD mm) Power (kW) Power (skW) Po			
Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Fie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating Actual capacity (litres) Usable Cavity dimensions (HxWxD mm) Power (kW) Power (kW) Telescopic shelves - Fixed Telescopic fixing positions Usable area of shelves (WxD mm) Oven light / Type Interior finish / colour Door type Sase has with fan Ses (Ses April (Ses Apri	1		
Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Pre-set setting Actual capacity (litres) Usable capacity (litres) Usable Cavity dimensions (HxWxD mm) Power (kW) Energy cook Dove shelves - Removable/adjustable No of telescopic fixing positions Telescopic shelves - Removable/adjustable No of type Interior finish / colour Door type Door type Door type Door type Door opening Door Serves Wasses Side opening Pre-set oven setting Actual capacity (litres) Door type Glass Door type Glass Door opening Side opening			
Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Presetting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating Actual capacity (litres) Usable Cavity dimensions (HxWxD mm) Power (kW) Poof shelves - Removable/adjustable No of shelves - Removable/adjustable No of telescopic fixing positions Ves has been and the fact only to the fact of the fact o		Conventional electric oven	Yes
Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Pre-set oven setting Energy rating Plusable capacity (litres) Usable Cavity dimensions (HxWxD mm) Power (kW) Energy consumption (Kwh) No of shelves Reconsumption (Kwh) No of shelves - Removable/adjustable No of telescopic fixing positions Usable area of shelves (WxD mm) Noven light / Type Interior finish / colour Press (Glass Door type Glass		Conventional electric oven Fanned electric oven	Yes
Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Pre-set oven setting Penergy rating Actual capacity (litres) Usable capacity (litres) Usable Cavity dimensions (HxWxD mm) Poor type No of shelves Pixed Pi		Conventional electric oven Fanned electric oven Defrost	Yes
Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Presed proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating A Cavity features Actual capacity (litres) Usable carpacity (litres) Usable cavity dimensions (HxWxD mm) Power (kW) Power (kW) An of shelves An of shelves Telescopic shelves - Fixed Telescopic shelves - Fixed Telescopic fixing positions Usable area of shelves (WxD mm) Actual capacity (Itres) Actual capac		Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan)	Yes
Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Preset proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating A Cavity features A Cavity features A Cavity dimensions (HxWxD mm) Door shelves - Removable/adjustable No of telescopic fixing positions Door type Door type Door type Door opening Read proving Pyes Pyes Pyes Pyes Pyes Pyes Pyes Pyes		Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only	Yes
Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating Actual capacity (litres) Usable capacity (litres) Usable Cavity dimensions (HxWxD mm) Power (kW)		Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only	Yes
Slow cook Yes		Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan	Yes
Pizza function Keep warm/plate warm function Pres great proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating A Cavity features Actual capacity (litres) Usable carpacity (litres) Usable carpacity (litres) Door type Interior finish / colour Preset oven setting Energy rating A A Cavity features A A Cavity features A A A A A A A A A A A A A		Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan	Yes
Keep warm/plate warm function Yes		Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only	
Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating Actual capacity (litres) Usable capacity (litres) Usable Cavity dimensions (HxWxD mm) Prower (kW) Power (kW		Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook	
Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating A Cavity features Actual capacity (litres) Usable capacity (litres) Usable Cavity dimensions (HxWxD mm) Power (kW) Powe		Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function	Yes
Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating A		Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function	Yes Yes
Rapid heat Pyrolytic function Pre-set oven setting Energy rating A Cavity features Actual capacity (litres) Usable capacity (litres) Power (kW) Don's felescopic shelves - Fixed Telescopic shelves - Removable/adjustable No of telescopic fixing positions Usable area of shelves (WxD mm) Actual capacity (litres) Actual c		Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread proving	Yes Yes
Pyrolytic function Pre-set oven setting Energy rating A		Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pie setting	Yes Yes
Pre-set oven setting Energy rating A Cavity features Actual capacity (litres) Usable capacity (litres) Usable Cavity dimensions (HxWxD mm) Power (kW) Energy consumption (Kwh) No of shelves No of shelves Telescopic shelves - Fixed Telescopic shelves - Fixed Telescopic fixing positions Usable area of shelves (WxD mm) Oven light / Type Interior finish / colour Door type Door opening Glass Gass Jake two types Jinerior states (Jitres) A A A Door type Glass Glass Jitres (Jitres) A Jitres (Jitres) A A A A A A A A A A A A A		Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe	Yes Yes
Cavity features		Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat	Yes Yes
Cavity features		Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function	Yes Yes
Actual capacity (litres)		Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting	Yes Yes Yes Yes
Usable capacity (litres)	Cavit	Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating Energy rating	Yes Yes Yes Yes
Usable Cavity dimensions (HxWxD mm) Power (kW) Energy consumption (Kwh) No of shelves No of shelves Telescopic shelves - Fixed Telescopic fixing positions Usable area of shelves (WxD mm) Oven light / Type Interior finish / colour Door Door type Door type Door opening Side opening 350 x 470 x 395 20 A 0.75 Door x 395 Glass Door opening Side opening	Cavit	Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating Ty features	Yes Yes Yes Yes A
Power (kW) Energy consumption (Kwh) No of shelves No of shelves No of shelves 1 No of shelf positions Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable No of telescopic fixing positions Usable area of shelves (WxD mm) Oven light / Type Interior finish / colour Door Door Door Glass Door type Door opening Side opening	Cavit	Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating y features Actual capacity (litres)	Yes Yes Yes Yes A A 71
Energy consumption (Kwh) No of shelves No of shelves No of shelf positions Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable No of telescopic fixing positions Usable area of shelves (WxD mm) Oven light / Type Interior finish / colour Door Door Door Side opening Glass Door opening Side opening	Cavit	Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating Theatures Actual capacity (litres) Usable capacity (litres)	Yes Yes Yes Yes A 71 64
No of shelves	Cavit	Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating y features Actual capacity (litres) Usable Cavity dimensions (HxWxD mm)	Yes Yes Yes Yes Yes Yes Yes Yes Ye
No of shelf positions Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable No of telescopic fixing positions Usable area of shelves (WxD mm) Oven light / Type Interior finish / colour Door Door Door type Door opening Side opening	Cavit	Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating Ty features Actual capacity (litres) Usable cayacity dimensions (HxWxD mm) Power (kW)	Yes Yes Yes Yes Yes A 71 64 350 × 470 × 395 2.0
Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable No of telescopic fixing positions Usable area of shelves (WxD mm) Oven light / Type Interior finish / colour Poor Door Door Glass Door type Door opening Side opening	Cavit	Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating y features Actual capacity (litres) Usable Cavity dimensions (HxWxD mm) Power (kW) Energy consumption (Kwh)	Yes Yes Yes Yes Yes A 71 64 350 × 470 × 395 2.0 0.75
Telescopic shelves - Removable/adjustable Double extending, removable	Cavit	Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating The fautures Actual capacity (litres) Usable Cavity dimensions (HxWxD mm) Power (kW) Energy consumption (Kwh) No of shelves	Yes Yes Yes Yes 71 64 350 x 470 x 395 2.0 0.75 2
No of telescopic fixing positions Usable area of shelves (WxD mm) Oven light / Type Interior finish / colour Door Door Door type Door type Door opening Side opening	Cavit	Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating y features Actual capacity (litres) Usable Cavity dimensions (HxWxD mm) Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions	Yes Yes Yes Yes 71 64 350 x 470 x 395 2.0 0.75 2
Usable area of shelves (WxD mm)	Cavit	Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating y features Actual capacity (litres) Usable Cavity dimensions (HxWxD mm) Power (kW) Energy consumption (Kwh) No of shelf positions Telescopic shelves - Fixed	Yes Yes Yes Yes Yes A 71 64 350 x 470 x 395 2.0 0.75 2 6
Oven light / Type Yes, halogen Interior finish / colour Easy clean enamel / Black Door Boor type Door opening Glass Side opening	Cavit	Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating Y features Actual capacity (litres) Usable Cavity dimensions (HxWxD mm) Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable	Yes Yes Yes Yes Yes A 71 64 350 × 470 × 395 2.0 0.75 2 6 Double extending, removable
Interior finish / colour Easy clean enamel / Black Door Door type Glass Door opening Side opening	Cavit	Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating The set oven setting Energy rating Energy rating Statures Actual capacity (litres) Usable Cavity dimensions (HxWxD mm) Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable No of telescopic fixing positions	Yes Yes Yes Yes Yes Yes A 71 64 350 × 470 × 395 2.0 0.75 2 6 Double extending, removable 4
Door Glass Door opening Side opening	Cavit	Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating y features Actual capacity (litres) Usable capacity (litres) Usable Cavity dimensions (HxWxD mm) Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable No of telescopic fixing positions Usable area of shelves (WxD mm)	Yes Yes Yes Yes Yes Yes A 71 64 350 x 470 x 395 2.0 0.75 2 6 Double extending, removable 4 467mm x 357mm
Door type Glass Door opening Side opening	Cavit	Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating Y features Actual capacity (litres) Usable Cavity dimensions (HxWxD mm) Power (kW) Energy consumption (Kwh) No of shelf positions Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable No of telescopic fixing positions Usable Loys of telescopic fixing positions Usable area of shelves (WxD mm) Oven light / Type	Yes Yes Yes Yes Yes A 71 64 350 x 470 x 395 2.0 0.75 2 6 Double extending, removable 4 467mm x 357mm Yes, halogen
Door opening Side opening		Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating Y features Jusable Cavity dimensions (HxWxD mm) Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves - Removable/adjustable No of telescopic fixing positions Usable area of shelves (WxD mm) Oven light / Type Interior finish / colour	Yes Yes Yes Yes Yes A 71 64 350 x 470 x 395 2.0 0.75 2 6 Double extending, removable 4 467mm x 357mm Yes, halogen
		Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating Energy rating y features Actual capacity (litres) Usable capacity (litres) Usable Cavity dimensions (HxWxD mm) Power (kW) Energy consumption (Kwh) No of shelves No of shelyes No of shelyes - Fixed Telescopic shelves - Removable/adjustable No of telescopic fixing positions Usable area of shelves (WxD mm) Oven light / Type Interior finish / colour	Yes Yes Yes Yes Yes A 71 64 350 × 470 × 395 2.0 0.75 2 6 Double extending, removable 4 467mm x 357mm Yes, halogen Easy clean enamel / Black
Initige type		Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating y features Actual capacity (litres) Usable Cavity dimensions (HxWxD mm) Power (kW) Energy consumption (Kwh) No of shelf positions Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable No of telescopic fixing positions Usable Ight / Type Interior finish / colour	Yes Yes Yes Yes Yes A 71 64 350 x 470 x 395 2.0 0.75 2 6 Double extending, removable 4 467mm x 357mm Yes, halogen Easy clean enamel / Black
		Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating Features Actual capacity (litres) Usable Cavity dimensions (HxWxD mm) Power (kW) Energy consumption (Kwh) No of shelves No of shelves No of shelves - Fixed Telescopic shelves - Removable/adjustable No fot elescopic fixing positions Usable area of shelves (WxD mm) Oven light / Type Interior finish / colour	Yes Yes Yes Yes Yes A 71 64 350 x 470 x 395 2.0 0.75 2 6 Double extending, removable 4 467mm x 357mm Yes, halogen Easy clean enamel / Black

Arrest position Viewing window Door calazing number(inc. outer if applicable) Door colour Pure Black Handle style / Colour Door outer glass Yes, Float (Pure Black) x 1 Inner glass Cladding type Cladding type Cladding type Cladding type Cladding style / Colour Door features Screened branding Badge brand Cavity 4 Position Bottom right Poutth Main/second/third/fourth oven Function Function Function Slow cook Fuel No. of functions Programmable oven Gas oven/grill Fixed rate gas grill Conventional gas oven Automatic ignition Fannes asfety device Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat only Base proving Meat provie Resting Meat proving
Door clazing number(inc. outer if applicable) Door colour Pure Black Handle style / Colour Por Black / Anodized Aluminium, bright brush effect Door outer glass Inner glass Cladding type Cladding style / Colour Door features Umbra** Glass Screened branding Badge brand Cavity 4 Position Bottom right Fourth Function Poor functions Fuel No. of functions Programmable oven Gas oven/grill Fixed rate gas grill Variable rate gas grill Variable rate dual circuit electric grill Conventional Electric coven Defrost Intensive bake (top, bottom & fan) Tip heat only Base heat only Base heat only Bres etting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating Cavity features Cavity 4 Post One Pure Black Yes, Float (Pure Black) x 1 Pres Black Pers X 1 Anodized Aluminium, bright brush effect Yes, Float (Pure Black) x 1 Pres All (Pure Black) x 1 Pres Black Pure Black
Door colour
Handle style / Colour Door outer glass Pes, Float (Pure Black) x 1 Inner glass Cladding type Cladding style / Colour Door features Screened branding Badge brand Cavity 4 Position Pogrammable oven Fuel Electric No. of functions Programmable oven Gas oven/grill Fixed rate gas grill Conventional gas oven Automatic ignition Flame safety device Electric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate electric grill Variable rate electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base he
Door outer glass Yes, Float (Pure Black) x 1
Inner glass Yes x 1
Cladding type Colour
Cladding style / Colour Door features Umbra™ Glass
Door features Screened branding Badge brand Cavity 4 Position Main/second/third/fourth oven Function Function Fule No. of functions Programmable oven Gas oven/grill Fixed rate gas grill Conventional gas oven Automatic ignition Flame safety device Electric oven/grill Fixed rate electric qrill Fixed rate electric qrill Variable rate electric qrill Variable rate dual circuit electric grill Conventional gas oven Automatic ignition Flame safety device Electric oven/grill Fixed rate dual circuit electric qrill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating Cavity features
Screened branding Badge brand Bottom right
Badge brand Position Bottom right
Position
Position Bottom right Main/second/third/fourth oven Fourth Function Slow cook Fuel Electric No. of functions 1 Programmable oven Gas oven/grill
Main/second/third/fourth oven Function Function Fuel No. of functions Programmable oven Fixed rate qas grill
Function Fuel No. of functions Programmable oven Gas oven/grill
Fuel Blectric No. of functions Programmable oven Gas oven/grill Fixed rate qas grill Variable rate gas grill Conventional gas oven Automatic ignition Flame safety device Electric oven/grill Fixed rate electric grill Fixed rate dual circuit electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating [Cavity features
No. of functions 1 1 1 1 1 1 1 1 1
Gas oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven Automatic ignition Flame safety device Electric oven/grill Fixed rate electric grill Fixed rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Yes Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating Cavity features
Gas oven/grill Fixed rate qas grill Variable rate qas grill Variable rate qas grill Conventional qas oven Automatic ignition Flame safety device Electric oven/grill Fixed rate electric grill Fixed rate electric grill Variable rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Grill with fan Light only Slow cook Yes Pizza function Reep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating Cavity features
Fixed rate gas grill Variable rate gas grill Conventional gas oven Automatic ignition Flame safety device Electric oven / grill
Variable rate gas grill Conventional gas oven Automatic ignition Flame safety device Electric oven/grill
Conventional gas oven Automatic ignition Flame safety device Electric oven/grill
Automatic ignition Flame safety device Electric oven/grill
Flame safety device Electric oven / grill
Electric oven/grill Fixed rate electric grill Fixed rate dual circuit electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Yes Pizza function Yes Pizza function Reep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating Energy
Fixed rate dual circuit electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating [Cavity features
Fixed rate dual circuit electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating [Cavity features
Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating [Cavity features
Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating Cavity features
Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating [Cavity features
Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating [Cavity features
Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating [Cavity features
Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating [Cavity features
Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating [Cavity features
Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating [Cavity features
Base heat with fan Grill with fan Light only Slow cook Yes Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating Cavity features
Grill with fan Light only Slow cook Yes Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating [Cavity features]
Light only Slow cook Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating [Cavity features
Slow cook Yes Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating Cavity features
Pizza function Keep warm/plate warm function Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating Cavity features
Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating Cavity features
Bread proving Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating Cavity features
Pie setting Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating Cavity features
Rapid heat Pyrolytic function Pre-set oven setting Energy rating Cavity features
Pyrolytic function Pre-set oven setting Energy rating Cavity features
Pre-set oven setting Energy rating Cavity features
Energy rating Cavity features
Cavity features
Actual capacity (litres) 41
Usable capacity (litres) 41
Cavity dimensions (HxWxD mm) 200 x 470 x 430
Power (kW) 0.16
Energy consumption (Kwh)
No of shelves
No of shelf positions
Telescopic shelves - Fixed
Telescopic shelves - Removable/adjustable
No of telescopic fixing positions
Usable area of shelves (WxD mm)
Oven light / Type
Interior finish / colour Easy clean enamel / Black
Door type Glass
Door type Glass Door opening Drop down
Door type Glass Door opening Drop down Hinge type
Door type Glass Door opening Drop down Hinge type Arrest position
Door type Glass Door opening Drop down Hinge type
Door type Glass Door opening Drop down Hinge type Arrest position Viewing window No
Door type Glass Door opening Drop down Hinge type Arrest position Viewing window No Door glazing number(inc. outer if applicable) 1
Door type Glass Door opening Drop down Hinge type Arrest position Viewing window No Door glazing number(inc. outer if applicable) 1 Door colour Pure Black Handle style / Colour Anodized Aluminium, bright brush effect Door outer glass Yes, Float (Pure Black) x 1
Door type Glass Door opening Drop down Hinge type Arrest position Viewing window No Door glazing number(inc. outer if applicable) 1 Door colour Pure Black Handle style / Colour Anodized Aluminium, bright brush effect Door outer glass Yes, Float (Pure Black) x 1 Inner glass No
Door type Door opening Door opening Door opening Drop down Hinge type Arrest position Viewing window Door glazing number(inc. outer if applicable) Door colour Handle style / Colour Door outer glass Door outer glass Tinner glass Cladding type Glass Door outer glass Cladding type Glass Door obening Drop down No No No No No Cladding type
Door type Door opening Hinge type Arrest position Viewing window Door glazing number(inc. outer if applicable) Door colour Handle style / Colour Anodized Aluminium, bright brush effect Door outer glass Inner glass Cladding type Cladding type Cladding style / Colour
Door type Door opening Door opening Door opening Door olour Hinge type Arrest position Viewing window Door glazing number(inc. outer if applicable) Door colour Pure Black Handle style / Colour Anodized Aluminium, bright brush effect Door outer glass Yes, Float (Pure Black) x 1 Inner glass Cladding type Cladding type Cladding style / Colour Door features
Door type Glass Door opening Drop down Hinge type Arrest position Viewing window No Door glazing number(inc. outer if applicable) 1 Door colour Pure Black Handle style / Colour Anodized Aluminium, bright brush effect Door outer glass Yes, Float (Pure Black) x 1 Inner glass No Cladding type Cladding type Cladding style / Colour Door features Screened branding
Door type Door opening Door opening Door opening Drop down Hinge type Arrest position Viewing window Door glazing number(inc. outer if applicable) Door colour Handle style / Colour Door outer glass Tinner glass Cladding type Cladding style / Colour Door features Screened branding Badge brand Door topening Badge brand Glass Drop down No No No No Cladding type Cladding style / Colour Door features Screened branding Badge brand
Door type Glass Door opening Drop down Hinge type Arrest position Viewing window Door glazing number(inc. outer if applicable) Door colour Handle style / Colour Door outer glass Inner glass Cladding type Cladding type Cladding type Cladding style / Colour Door features Screened branding Badge brand Fascia
Door type Glass
Door type Glass Drop down Hinge type Arrest position Viewing window No Door glazing number(inc. outer if applicable) 1 1 1 1 1 1 1 1 1
Door type Glass Drop down
Door type Glass
Door type Glass
Door type Glass Drop down Hinge type Arrest position Viewing window No Door glazing number(inc. outer if applicable) 1 1 1 1 1 1 1 1 1
Door type Glass Drop down Hinge type Arrest position Viewing window No Door glazing number(inc. outer if applicable) 1 1 1 1 1 1 1 1 1
Door type Glass
Door type Glass

LED clock/programmer cook to off - cavity, size and colour Touch control LED clock/programmer - cavity, size and colour Touch control LED clock/programmer 'Cook To Off' - cavity, size and colour	
colour Touch control LED clock/programmer 'Cook To Off' -	
Touch control LED clock/programmer 'Cook To Off' -	Cavity 2, large, white
cavity, size and colour	
Connectivity / Bluetooth Electronic clock / programmer	No
Special aesthetic appearance (eg Sterling)	
Features	
Warming drawer/cavity	
Integrated splashback Rotisserie	
Pro-Flex Splitter	
Roll-out grill	
Adjustable feet Retractable control knobs	Yes
Rear wheels	Yes
Accessories (included)	
Removable cast griddle plate	
Wok cradle Grillpan/trivet	Yes, 1
Grillpan handle	Yes, 1
Roasting tin	
Full width oven pan - shallow Full width deep oven pan/trivet	Yes, 1
Full width oven pan - reversible trivet	103, 1
Oven pan handle	
Cast iron pot Grill rack	
Turntable	
Browning plate	
Steam & Infuse	Yes
LPG Conversion kit (available separately) Removable Parts (for cleaning)	
Hob burners	
Pan supports	
Inner door glass Shelves	Yes Yes
Telescopic shelves - Fixed	Tes
Telescopic shelves - Removable/adjustable	Yes
Shelf guides	Yes
Grill rack Turntable	
Browning plate	
Installation	
Gas type Gas inlet type	
Gas inlet type	
LPG convertible	
Hard wired Lead length	Yes
Terminal block position	Rear left
Electrical connection	Yes
Supply voltage	240V
Supply frequency Phase (single or 3)	Single/3 Phase
Maximum rating	
Total electrical power load (kW)	15.53kw
Total gas power load (kW) Fuse size (A)	32
Fitted 3 pin plug	
Dimensions	
Packed Height (mm)	1045
Width (mm)	1230
Depth (mm)	740
Weight (kg)	102.3
Product Height (mm)	900-930
Width (mm)	1096
Depth (mm)	600
Weight (kg) Finishes & codes	94.4
Colour 1	Black
SKU code	444410759
EAN code	5052263107595
AS400/Aurora model description Exclusive	ST PREC DX S1100Ei BK
Colour 2	Stainless Steel
	444410760
SKU code	5052263107601
SKU code EAN code	ST PREC DX S1100Ei SS
SKU code EAN code AS400/Aurora model description	
SKU code EAN code	
SKU code EAN code AS400/Aurora model description Exclusive Colour 3 SKU code	
SKU code EAN code AS400/Aurora model description Exclusive Colour 3 SKU code EAN code	
SKU code EAN code AS400/Aurora model description Exclusive Colour 3	
SKU code EAN code AS400/Aurora model description Exclusive Colour 3 SKU code EAN code	