

Specification sheet	
<b>Brand and Model</b>	
Brand	<b>Stoves</b>
Sub-brand	<b>Precision Deluxe</b>
Model	<b>Precision DX S900Ei</b>
<b>Summary</b>	
Product Type	90cm Induction Range Cooker
Short Product Description	90cm Electric Induction Range Cooker With A 5 Zone Induction Hob, Conventional Oven & Grill, Multifunction Main Oven And Tall Fanned Oven With <b>PROFLEX™</b>
<b>Key Product Benefits</b>	
Benefit 1	Quad Oven <b>PROFLEX™</b> With 164L Total Cooking Capacity
Benefit 2	Umbr <sup>™</sup> Glass
Benefit 3	Maxi Clock <sup>™</sup> - LED Touch Control Programmer
Benefit 4	Steam & Infuse <sup>™</sup>
Benefit 5	5 Zone Induction Hob With Touch Control
Benefit 6	Multifunction Main Oven With Equiflow <sup>™</sup> Technology and 11 Settings Including Pizza and Bread Proving
Benefit 7	Titan <sup>™</sup> Twin Fanned Oven
Benefit 8	Maxi-Grill <sup>™</sup> With Telescopic Sliders
Benefit 9	Pro-Trac <sup>™</sup> Double-Extension Telescopic Sliders
Benefit 10	Child Lock Safety Feature For Hob Controls
Product Type	Range Cooker
Integrated or freestanding	Freestanding
Fuel	Electric
Number of ovens	4 With PROFLEX <sup>™</sup>
Warranty period	5 Year Parts & 1 Year Labour
International market	
<b>Hob layout</b>	
	(diagram to be assigned)
<b>Cavity layout</b>	
	(diagram to be assigned)
<b>Hob</b>	
<b>Hob summary</b>	5 Induction Zones
No of burners/elements	5
Hotplate type	Framed Glass
Controls position	Hotplate
<b>Gas hob</b>	
Burner 1 (kW)	
Burner 2 (kW)	
Burner 3 (kW)	
Burner 4 (kW)	
Burner 5 (kW)	
Burner 6 (kW)	
Burner 7 (kW)	
Burner 8 (kW)	
Enamel pan supports	
Cast iron pan supports	
Enamel burner caps	
Matte burner caps	
Flat burner caps	
Profiled burner caps	
Enamel Clamp plates	
Matte clamp plates	
Push button ignition (battery)	
Push button ignition (mains)	
Automatic ignition	
Thermocouples (Flame safety device)	
Glass lid with auto shut off	
Lid / Type	
Lid Handle / Front Trim	
Lid auto shut off	
Lid soft close	
<b>Electric hob</b>	
Element 1 (kW)	Medium Induction 1.6 - 3.0
Element 2 (kW)	Medium Induction 1.6 - 3.0
Element 3 (kW)	Large Induction 2.3 - 3.7
Element 4 (kW)	Small Induction 1.15 - 2.2
Element 5 (kW)	Medium Induction 1.4 - 3.0
Element 6 (kW)	
Element 7 (kW)	
Central on/off key	Yes
Hot hob light	
Individual residual Heat Indicators	Yes
Control type (rotary or touch)	Touch (hotplate)
Digital power display	Yes
Power levels	10 (inc. boost)
Keep warm function	Yes
Pan detection	Yes
Pan overheat detection	Yes
Child lock	Yes
Boost function	Yes
Presets	3 (melt/sauce, keep warm, rapid simmer)

Auto heat up	Yes
Auto stand by	Yes
Minute minder	Yes
Timer Function	Yes
Bridge Function / Griddle Zone	
Easy clean ceramic glass surface	Yes
<b>Cavity 1</b>	
Position	Top left
Main/second/third/fourth oven	Third
Function	Conventional oven and grill
Fuel	Electric
No. of functions	2
Programmable oven	
<b>Gas oven/grill</b>	
Fixed rate gas grill	
Variable rate gas grill	
Conventional gas oven	
Automatic ignition	
Flame safety device	
<b>Electric oven/grill</b>	
Fixed rate electric grill	
Fixed rate dual circuit electric grill	
Variable rate electric grill	
Variable rate dual circuit electric grill	Yes
Conventional electric oven	Yes
Fanned electric oven	
Defrost	
Intensive bake (top, bottom & fan)	
Top heat only	Yes
Base heat only	
Base heat with fan	
Grill with fan	
Light only	
Slow cook	
Pizza function	
Keep warm/plate warm function	
Bread proving	
Pie setting	
Meat probe	
Rapid heat	
Pyrolytic function	
Pre-set oven setting	
Energy rating	A
<b>Cavity features</b>	
Actual capacity (litres)	37
Usable capacity (litres)	31
Usable Cavity dimensions (HxWxD mm)	180 x 420 x 430
Power (kW)	Oven (1.4) Grill (2.7)
Energy consumption (Kwh)	0.67
No of shelves	0
No of shelf positions	2
Telescopic shelves - Fixed	0
Telescopic shelves - Removable/adjustable	Double extending, removable
No of telescopic fixing positions	2
Usable area of shelves (WxD mm)	407mm x 357mm
Oven light / Type	
Interior finish / colour	Easy clean enamel / Black
<b>Door</b>	
Door type	Glass with matt black capping
Door opening	Drop-down
Hinge type	
Arrest position	
Viewing window	Yes
Door glazing number(inc. outer if applicable)	2
Door colour	Pure Black
Handle style / Colour	Anodized Aluminium, bright brush effect
Door outer glass	Yes, Float (Pure Black) x 1
Inner glass	Yes x 1
Cladding type	
Cladding style / Colour	
Door features	
Screened branding	
Badge brand	Stoves
<b>Cavity 2</b>	
Position	Bottom left
Main/second/third/fourth oven	Main
Function	Multifunction Oven
Fuel	Electric
No. of functions	13
Programmable oven	Yes
<b>Gas oven/grill</b>	
Fixed rate gas grill	
Variable rate gas grill	
Conventional gas oven	
Automatic ignition	
Flame safety device	
<b>Electric oven/grill</b>	
Fixed rate electric grill	
Fixed rate dual circuit electric grill	
Variable rate electric grill	Yes
Variable rate dual circuit electric grill	
Conventional electric oven	Yes
Fanned electric oven	Yes
Defrost	Yes
Intensive bake (top, bottom & fan)	Yes
Top heat only	Yes
Base heat only	Yes
Base heat with fan	Yes

Grill with fan	Yes
Light only	
Slow cook	Yes
Pizza function	Yes
Keep warm/plate warm function	Yes
Bread proving	Yes
Pie setting	
Meat probe	
Rapid heat	
Pyrolytic function	
Pre-set oven setting	
Energy rating	A
<b>Cavity features</b>	
Actual capacity (litres)	64
Usable capacity (litres)	54
Usable Cavity dimensions (HxWxD mm)	325 x 420 x 395
Power (kW)	Oven (2.0) Grill (1.7)
Energy consumption (Kwh)	0.73Kwh (Forced Air) 0.77Kwh (Conventional)
No of shelves	2
No of shelf positions	6
Telescopic shelves - Fixed	
Telescopic shelves - Removable/adjustable	Double extending, removable
No of telescopic fixing positions	4
Usable area of shelves (WxD mm)	407mm x 357mm
Oven light / Type	Yes, halogen
Interior finish / colour	Easy clean enamel / Black
<b>Door</b>	
Door type	Glass with matt black capping
Door opening	Side opening
Hinge type	
Arrest position	
Viewing window	Yes
Door glazing number(inc. outer if applicable)	2
Door colour	Pure Black
Handle style / Colour	Anodized Aluminium, bright brush effect
Door outer glass	Yes, Float (Pure Black) x 1
Inner glass	Yes x 1
Cladding type	
Cladding style / Colour	
Door features	Umbral™ Glass
Screened branding	
Badge brand	
<b>Cavity 3</b>	
Position	Right
Main/second/third/fourth oven	Second
Function	Tall Split Fanned Oven/Grill
Fuel	Electric
No. of functions	5
Programmable oven	
<b>Gas oven/grill</b>	
Fixed rate gas grill	
Variable rate gas grill	
Conventional gas oven	
Automatic ignition	
Flame safety device	
<b>Electric oven/grill</b>	
Fixed rate electric grill	Yes
Fixed rate dual circuit electric grill	
Variable rate electric grill	
Variable rate dual circuit electric grill	
Conventional electric oven	
Fanned electric oven	Yes
Defrost	
Intensive bake (top, bottom & fan)	
Top heat only	
Base heat only	
Base heat with fan	
Grill with fan	
Light only	
Slow cook	Yes
Pizza function	
Keep warm/plate warm function	Yes
Bread proving	Yes
Pie setting	
Meat probe	
Rapid heat	
Pyrolytic function	
Pre-set oven setting	
Energy rating	A
<b>Cavity features</b>	
Actual capacity (litres)	94
Usable capacity (litres)	79
Usable Cavity dimensions (HxWxD mm)	620 x 350 x 395
Power (kW)	3.0
Energy consumption (Kwh)	0.94
No of shelves	3
No of shelf positions	8
Telescopic shelves - Fixed	
Telescopic shelves - Removable/adjustable	Double extending, removable
No of telescopic fixing positions	8
Usable area of shelves (WxD mm)	339mm x 357mm
Oven light / Type	Yes, halogen
Interior finish / colour	Easy clean enamel / Black
<b>Door</b>	
Door type	Glass
Door opening	Side opening
Hinge type	

	Arrest position	
	Viewing window	Yes
	Door glazing number(inc. outer if applicable)	2
	Door colour	Pure Black
	Handle style / Colour	Anodized Aluminium, bright brush effect
	Door outer glass	Yes, Float (Pure Black) x 1
	Inner glass	Yes x 1
	Cladding type	
	Cladding style / Colour	
	Door features	Umbra™ Glass
	Screened branding	
	Badge brand	
<b>Cavity 4</b>		
	Position	
	Main/second/third/fourth oven	
	Function	
	Fuel	
	No. of functions	
	Programmable oven	
<b>Gas oven/grill</b>		
	Fixed rate gas grill	
	Variable rate gas grill	
	Conventional gas oven	
	Automatic ignition	
	Flame safety device	
<b>Electric oven/grill</b>		
	Fixed rate electric grill	
	Fixed rate dual circuit electric grill	
	Variable rate electric grill	
	Variable rate dual circuit electric grill	
	Conventional electric oven	
	Fanned electric oven	
	Defrost	
	Intensive bake (top, bottom & fan)	
	Top heat only	
	Base heat only	
	Base heat with fan	
	Grill with fan	
	Light only	
	Slow cook	
	Pizza function	
	Keep warm/plate warm function	
	Bread proving	
	Pie setting	
	Meat probe	
	Rapid heat	
	Pyrolytic function	
	Pre-set oven setting	
	Energy rating	
<b>Cavity features</b>		
	Actual capacity (litres)	
	Usable capacity (litres)	
	Cavity dimensions (HxWxD mm)	
	Power (kW)	
	Energy consumption (Kwh)	
	No of shelves	
	No of shelf positions	
	Telescopic shelves - Fixed	
	Telescopic shelves - Removable/adjustable	
	No of telescopic fixing positions	
	Usable area of shelves (WxD mm)	
	Oven light / Type	
	Interior finish / colour	
<b>Door</b>		
	Door type	
	Door opening	
	Hinge type	
	Arrest position	
	Viewing window	
	Door glazing number(inc. outer if applicable)	
	Door colour	
	Handle style / Colour	
	Door outer glass	
	Inner glass	
	Cladding type	
	Cladding style / Colour	
	Door features	
	Screened branding	
	Badge brand	
<b>Fascia</b>		
<b>Fascia features</b>		
	Number of knobs	5
	Style of knob - colour & type	Brushed chrome plate, diamond cut face
	Bezel - colour & type	Black, Spark Eroded, plastic
	Oven/Grill markings location (knob, bezel, fascia)	White print, on bezel
	Fascia material	Metal one piece pressing
	Fascia colour	Black gloss/Stainless
	Cladding type	
	Cladding style/colour	
	Fascia cooling system	Yes
	Screened Branding or Model Name	
	Badge / Brand	
<b>Timer</b>		
	Mechanical timer (pinger)	
	Analoque clock/programmer	
	LED clock/minute minder - cavity, size and colour	
	LED clock/programmer - cavity, size and colour	

LED clock/programmer cook to off - cavity, size and colour	
Touch control LED clock/programmer - cavity, size and colour	Cavity 2, large, white
Touch control LED clock/programmer 'Cook To Off' - cavity, size and colour	
Connectivity / Bluetooth	No
Electronic clock / programmer	
Special aesthetic appearance (eg Sterling)	
<b>Features</b>	
Warming drawer/cavity	
Integrated splashback	
Rotisserie	
Pro-Flex Splitter	Yes
Roll-out grill	
Adjustable feet	Yes
Retractable control knobs	
Rear wheels	Yes
<b>Accessories (included)</b>	
Removable cast griddle plate	
Wok cradle	
Grillpan/trivet	Yes, 1
Grillpan handle	Yes, 1
Roasting tin	
Full width oven pan - shallow	
Full width deep oven pan/trivet	Yes, 1
Full width oven pan - reversible trivet	
Oven pan handle	Yes, 1
Cast iron pot	
Grill rack	
Turntable	
Browning plate	
Steam & Infuse	Yes
LPG Conversion kit (available separately)	
<b>Removable Parts (for cleaning)</b>	
Hob burners	
Pan supports	
Inner door glass	Yes
Shelves	Yes
Telescopic shelves - Fixed	
Telescopic shelves - Removable/adjustable	Yes
Shelf guides	Yes
Grill rack	
Turntable	
Browning plate	
<b>Installation</b>	
Gas type	
Gas inlet type	
Gas inlet position	
LPG convertible	
Hard wired	Yes
Lead length	
Terminal block position	Rear left
Electrical connection	Yes
Supply voltage	240V
Supply frequency	
Phase (single or 3)	Single/3 Phase
Maximum rating	
Total electrical power load (kW)	16.38kw
Total gas power load (kW)	
Fuse size (A)	32
Fitted 3 pin plug	
<b>Dimensions</b>	
<b>Packed</b>	
Height (mm)	1045
Width (mm)	1045
Depth (mm)	740
Weight (kg)	94.6
<b>Product</b>	
Height (mm)	900-930
Width (mm)	896
Depth (mm)	600
Weight (kg)	86.9
<b>Finishes &amp; codes</b>	
<b>Colour 1</b>	
<b>Black</b>	
SKU code	444410755
EAN code	5052263107557
AS400/Aurora model description	ST PREC DX S900Ei BK
Exclusive	
<b>Colour 2</b>	
<b>Stainless Steel</b>	
SKU code	444410756
EAN code	5052263107564
AS400/Aurora model description	ST PREC DX S900Ei SS
Exclusive	
<b>Colour 3</b>	
SKU code	
EAN code	
AS400/Aurora model description	
Exclusive	
<b>COMMENTS</b>	