

Specification sheet		Product Details									
Brand and Model		Stoves									
Brand		Sterling Deluxe									
Sub-brand		Sterling									
Model		DX S1100DF									
Summary											
Product Type		110cm Dual Fuel Range Cooker									
Short product description		110cm Dual Fuel Range Cooker With A 7 Burner Gas Hob, Conventional Oven & Grill, Multifunction Main Oven, Fanned Second Oven and Dedicated Slow Cook Oven									
Key Product Benefits											
Benefit 1		Quad Ovens™ With 200L Total Cooking Capacity									
Benefit 2		Maxi Clock™ - LED Touch Control Programmer									
Benefit 3		Steam & Infuse™									
Benefit 4		7 Burner Gas Hob With 4kW PowerWok™									
Benefit 5		Multifunction Main Oven With Equiflow™ Technology and 11 Settings Including Pizza and Bread Proving									
Benefit 6		Pro-Trac™ Double-Extension Telescopic Sliders									
Benefit 7		Maxi-Grill™ With Telescopic Sliders									
Benefit 8		Dedicated Slow Cook Oven									
Benefit 9		Single Handed Ignition									
Benefit 10		Made In Britain									
Product Type		Range Cooker									
Integrated or freestanding		Freestanding									
Fuel		Dual Fuel									
Number of ovens		4									
Warranty period		5 Year Parts & 1 Year Labour									
International market											
Hob layout											
(diagram to be assigned)		<table border="1"> <tr> <td>2</td> <td>4</td> <td>7</td> </tr> <tr> <td></td> <td>5</td> <td></td> </tr> <tr> <td>1</td> <td>3</td> <td>6</td> </tr> </table>	2	4	7		5		1	3	6
2	4	7									
	5										
1	3	6									
Cavity layout											
(diagram to be assigned)		<table border="1"> <tr> <td>1</td> <td>3</td> </tr> <tr> <td>2</td> <td>4</td> </tr> </table>	1	3	2	4					
1	3										
2	4										
Hob											
Hob summary		7 Gas burners									
No of burners/elements		7									
Hotplate type		Pressed metal									
Controls position		Fascia									
Gas hob											
Burner 1 (kW)		Small (1.0)									
Burner 2 (kW)		Medium (2.0)									
Burner 3 (kW)		Medium (2.0)									
Burner 4 (kW)		Small (1.0)									
Burner 5 (kW)		Wok (4.0)									
Burner 6 (kW)		Large (3.0)									
Burner 7 (kW)		Medium (2.0)									
Burner 8 (kW)											
Enamel pan supports											
Cast iron pan supports		Yes									
Enamel burner caps											
Matte burner caps		Yes									
Flat burner caps		Yes									
Profiled burner caps											
Enamel Clamp plates											
Matte clamp plates											
Push button ignition (battery)											
Push button ignition (mains)											
Automatic ignition		Yes									
Thermocouples (Flame safety device)		Yes									
Glass lid with auto shut off											
Lid / Type											
Lid Handle / Front Trim											
Lid auto shut off											
Lid soft close											
Electric hob											
Element 1 (kW)											
Element 2 (kW)											
Element 3 (kW)											
Element 4 (kW)											
Element 5 (kW)											
Element 6 (kW)											
Element 7 (kW)											
Central on/off key											
Hot hob light											

	Individual residual Heat Indicators									
	Control type (rotary or touch)									
	Digital power display									
	Power levels									
	Keep warm function									
	Pan detection									
	Pan overheat detection									
	Child lock									
	Boost function									
	Presets									
	Auto heat up									
	Auto stand by									
	Minute minder									
	Timer Function									
	Bridge Function / Griddle Zone									
	Easy clean ceramic glass surface									
Cavity 1	<table border="1"> <tr> <td>1</td> <td>3</td> </tr> <tr> <td>2</td> <td></td> </tr> </table> <table border="1"> <tr> <td>1</td> <td>3</td> </tr> <tr> <td>2</td> <td>4</td> </tr> </table>	1	3	2		1	3	2	4	
1	3									
2										
1	3									
2	4									
	Position	Top left								
	Main/second/third/fourth oven	Third								
	Function	Conventional oven and grill								
	Fuel	Electric								
	No. of functions	3								
	Programmable oven									
	Gas oven / grill									
	Fixed rate gas grill									
	Variable rate gas grill									
	Conventional gas oven									
	Automatic ignition									
	Flame safety device									
	Electric oven / grill									
	Fixed rate electric grill									
	Fixed rate dual circuit electric grill									
	Variable rate electric grill									
	Variable rate dual circuit electric grill	Yes								
	Conventional electric oven	Yes								
	Fanned electric oven									
	Defrost									
	Intensive bake (top, bottom & fan)									
	Top heat only	Yes								
	Base heat only									
	Base heat with fan									
	Grill with fan									
	Light only									
	Slow cook									
	Pizza function									
	Keep warm/plate warm function									
	Bread proving									
	Pie setting									
	Meat probe									
	Rapid heat									
	Pyrolytic function									
	Pre-set oven setting									
	Energy rating	A								
	Cavity features									
	Actual capacity (litres)	41								
	Usable capacity (litres)	35								
	Usable Cavity dimensions (HxWxD mm)	180 x 470 x 430								
	Power (kW)	Oven (1.4) Grill (2.7)								
	Energy consumption (Kwh)	0.66 (Conventional)								
	No of shelves	0								
	No of shelf positions	2								
	Telescopic shelves - Fixed	0								
	Telescopic shelves - Removable/adjustable	Double extending, removable								
	No of telescopic fixing positions	2								
	Usable area of shelves (WxD mm)	467mm x 357mm								
	Oven light / Type									
	Interior finish / colour	Easy clean enamel / Black								
	Door									
	Door type	Glass with matt black capping								
	Door opening	Drop-down								
	Hinge type									
	Arrest position									
	Viewing window	Yes								
	Door glazing number(inc. outer if applicable)	2								
	Door colour	Mirrored								
	Handle style / Colour	Metal, satin nickel brush effect								
	Door outer glass	Yes, Stopsil (mirrored) x 1								
	Inner glass	Yes x 1 Removeable								
	Cladding type	L shape								
	Cladding style / Colour	Description colour								
	Door features									
	Screened branding									
	Badge brand	Stoves								
Cavity 2	<table border="1"> <tr> <td>1</td> <td>3</td> </tr> <tr> <td>2</td> <td></td> </tr> </table> <table border="1"> <tr> <td>1</td> <td>3</td> </tr> <tr> <td>2</td> <td>4</td> </tr> </table>	1	3	2		1	3	2	4	
1	3									
2										
1	3									
2	4									
	Position	Bottom left								
	Main/second/third/fourth oven	Main								
	Function	Multifunction Oven								
	Fuel	Electric								
	No. of functions	13								
	Programmable oven	Yes								
	Gas oven / grill									
	Fixed rate gas grill									
	Variable rate gas grill									
	Conventional gas oven									
	Automatic ignition									
	Flame safety device									

Electric oven/grill										
	Fixed rate electric grill									
	Fixed rate dual circuit electric grill									
	Variable rate electric grill	Yes								
	Variable rate dual circuit electric grill									
	Conventional electric oven	Yes								
	Fanned electric oven	Yes								
	Defrost	Yes								
	Intensive bake (top, bottom & fan)	Yes								
	Top heat only	Yes								
	Base heat only	Yes								
	Base heat with fan	Yes								
	Grill with fan	Yes								
	Light only									
	Slow cook	Yes								
	Pizza function	Yes								
	Keep warm/plate warm function	Yes								
	Bread proving	Yes								
	Pie setting									
	Meat probe									
	Rapid heat									
	Pyrolytic function									
	Pre-set oven setting									
	Energy rating	A								
Cavity features										
	Actual capacity (litres)	71								
	Usable capacity (litres)	60								
	Usable Cavity dimensions (HxWxD mm)	325 x 470 x 395								
	Power (kW)	Oven (2.0) Grill (1.7)								
	Energy consumption (Kwh)	0.76kWh (Forced Air), 0.81kWh (Conventional)								
	No of shelves	2								
	No of shelf positions	6								
	Telescopic shelves - Fixed									
	Telescopic shelves - Removable/adjustable	Double extending, removable								
	No of telescopic fixing positions	4								
	Usable area of shelves (WxD mm)	467mm x 357mm								
	Oven light / Type	Yes, halogen								
	Interior finish / colour	Easy clean enamel / Black								
Door										
	Door type	Glass with matt black capping								
	Door opening	Side opening								
	Hinge type									
	Arrest position									
	Viewing window	Yes								
	Door glazing number(inc. outer if applicable)	2								
	Door colour	Mirrored								
	Handle style / Colour	Metal, satin nickel brush effect								
	Door outer glass	Yes, Stopsil (mirrored) x 1								
	Inner glass	Yes x 1 Removeable								
	Cladding type	L shape								
	Cladding style / Colour	Description colour								
	Door features									
	Screened branding									
	Badge brand									
Cavity 3	<table border="1"> <tr> <td>1</td> <td></td> <td>1</td> <td>3</td> </tr> <tr> <td>2</td> <td>3</td> <td>2</td> <td>4</td> </tr> </table>	1		1	3	2	3	2	4	
1		1	3							
2	3	2	4							
	Position	Top right								
	Main/second/third/fourth oven	Second								
	Function	Fanned Oven								
	Fuel	Electric								
	No. of functions	4								
	Programmable oven									
Gas oven/grill										
	Fixed rate gas grill									
	Variable rate gas grill									
	Conventional gas oven									
	Automatic ignition									
	Flame safety device									
Electric oven/grill										
	Fixed rate electric grill									
	Fixed rate dual circuit electric grill									
	Variable rate electric grill									
	Variable rate dual circuit electric grill									
	Conventional electric oven									
	Fanned electric oven	Yes								
	Defrost									
	Intensive bake (top, bottom & fan)									
	Top heat only									
	Base heat only									
	Base heat with fan									
	Grill with fan									
	Light only									
	Slow cook	Yes								
	Pizza function									
	Keep warm/plate warm function	Yes								
	Bread proving	Yes								
	Pie setting									
	Meat probe									
	Rapid heat									
	Pyrolytic function									
	Pre-set oven setting									
	Energy rating	A								
Cavity features										
	Actual capacity (litres)	71								
	Usable capacity (litres)	64								
	Usable Cavity dimensions (HxWxD mm)	350 x 470 x 395								
	Power (kW)	2.0								
	Energy consumption (Kwh)	0.75Kwh (Forced Air)								
	No of shelves	2								

	No of shelf positions	6
	Telescopic shelves - Fixed	
	Telescopic shelves - Removable/adjustable	Double extending, removable
	No of telescopic fixing positions	4
	Usable area of shelves (WxD mm)	467mm x 357mm
	Oven light / Type	Yes, halogen
	Interior finish / colour	Easy clean enamel / Black
Door		
	Door type	Glass
	Door opening	Side opening
	Hinge type	
	Arrest position	
	Viewing window	Yes
	Door glazing number(inc. outer if applicable)	2
	Door colour	Mirrored
	Handle style / Colour	Metal, satin nickel brush effect
	Door outer glass	Yes, Stopsil (mirrored) x 1
	Inner glass	Yes x 1 Removeable
	Cladding type	L shape
	Cladding style / Colour	Description colour
	Door features	
	Screened branding	
	Badge brand	
Cavity 4		
	1	3
	2	4
	Position	Bottom right
	Main/second/third/fourth oven	Fourth
	Function	Slow cook
	Fuel	Electric
	No. of functions	1
	Programmable oven	
Gas oven/grill		
	Fixed rate gas grill	
	Variable rate gas grill	
	Conventional gas oven	
	Automatic ignition	
	Flame safety device	
Electric oven/grill		
	Fixed rate electric grill	
	Fixed rate dual circuit electric grill	
	Variable rate electric grill	
	Variable rate dual circuit electric grill	
	Conventional electric oven	
	Fanned electric oven	
	Defrost	
	Intensive bake (top, bottom & fan)	
	Top heat only	
	Base heat only	
	Base heat with fan	
	Grill with fan	
	Light only	
	Slow cook	Yes
	Pizza function	
	Keep warm/plate warm function	
	Bread proving	
	Pie setting	
	Meat probe	
	Rapid heat	
	Pyrolytic function	
	Pre-set oven setting	
	Energy rating	
Cavity features		
	Actual capacity (litres)	41
	Usable capacity (litres)	41
	Cavity dimensions (HxWxD mm)	200 x 470 x 430
	Power (kW)	0.16
	Energy consumption (Kwh)	
	No of shelves	
	No of shelf positions	
	Telescopic shelves - Fixed	
	Telescopic shelves - Removable/adjustable	
	No of telescopic fixing positions	
	Usable area of shelves (WxD mm)	
	Oven light / Type	
	Interior finish / colour	Easy clean enamel / Black
Door		
	Door type	Glass
	Door opening	Drop down
	Hinge type	
	Arrest position	
	Viewing window	Yes
	Door glazing number(inc. outer if applicable)	2
	Door colour	Mirrored
	Handle style / Colour	Metal, satin nickel brush effect
	Door outer glass	Yes, Stopsil (mirrored) x 1
	Inner glass	Yes x 1, easy clean
	Cladding type	L shape
	Cladding style / Colour	Description colour
	Door features	
	Screened branding	
	Badge brand	
Fascia		
Fascia features		
	Number of knobs	12
	Style of knob - colour & type	Black plastic body, chrome plastic cap
	Bezel - colour & type	Chrome plastic
	Oven/Grill markings location (knob, bezel, fascia)	Black print, on bezel
	Fascia material	Metal one piece pressing
	Fascia colour	Black gloss
	Cladding type	
	Cladding style/colour	
	Fascia cooling system	Yes
	Screened Branding or Model Name	Richmond Deluxe

	Badge / Brand	
Timer		
	Mechanical timer (pinger)	
	Analogue clock/programmer	
	LED clock/minute minder - cavity, size and colour	
	LED clock/programmer - cavity, size and colour	
	LED clock/programmer cook to off - cavity, size and colour	
	Touch control clock/programmer - cavity, size and colour	Cavity 2, large, white
	Touch control clock/programmer 'Cook To Off' - cavity, size and colour	
	Connectivity / Bluetooth	No
	Electronic clock / programmer	
	Special aesthetic appearance (eg Sterling)	
Features		
	Warming drawer/cavity	
	Integrated splashback	
	Rotisserie	
	ProFlex	
	Roll-out grill	Yes
	Adjustable feet	Yes
	Retractable control knobs	
	Rear wheels	Yes
Accessories (included)		
	Removable cast griddle plate	Yes
	Wok cradle	Yes
	Grillpan/trivet	
	Grillpan handle - metal	
	Roasting tin	
	Full width oven/grill pan - shallow	
	Full width oven/grill pan - deep	Yes, 2
	Full width oven/grill pan - reversible trivet	Yes, 2
	Oven/grill pan handle	Yes, 1
	Cast iron pot	
	Grill rack	
	Turntable	
	Browning plate	
	Steam & Infuse	Yes
	LPG Conversion kit (available separately)	Yes
Removable Parts (for cleaning)		
	Hob burners	Yes
	Pan supports	Yes
	Inner door glass	
	Shelves	Yes
	Telescopic shelves - Fixed	
	Telescopic shelves - Removable/adjustable	Yes
	Shelf guides	Yes
	Grill rack	
	Turntable	
	Browning plate	
Installation		
	Gas type	Nat Gas
	Gas inlet type	1/2" BSP female
	Gas inlet position	Rear right
	LPG convertible	Yes
	Hard wired	Yes
	Lead length	
	Terminal block position	Rear left
	Electrical connection	Yes
	Supply voltage	240V
	Supply frequency	
	Phase (single or 3)	Single/3 Phase
	Maximum rating	
	Total electrical power load (kW)	8.13kw
	Total gas power load (kW)	15kw
	Fuse size (A)	32
	Fitted 3 pin plug	
Dimensions		
Packed		
	Height (mm)	1045
	Width (mm)	1230
	Depth (mm)	740
	Weight (kg)	105.7
Product		
	Height (mm)	900-930
	Width (mm)	1096
	Depth (mm)	600
	Weight (kg)	98.7
Finishes & codes		
Colour 1		Black
	SKU code	444444951
	EAN code	5052263049512
	AS400/Aurora model description	ST STER DX S1100DF BK
	Exclusive	
Colour 2		Stainless Steel
	SKU code	444444952
	EAN code	5052263049529
	AS400/Aurora model description	ST STER DX S1100DF SS
	Exclusive	
Colour 3		
	SKU code	
	EAN code	
	AS400/Aurora model description	
	Exclusive	
Colour 4		
	SKU code	
	EAN code	
	AS400/Aurora model description	
	Exclusive	
	COMMENTS	